

KEY WORDS INDEX (Vol. 56 No. 1~No. 12, 2014)

[A]

Abstinence 625
 Activated microglia 1011
 Acute psychiatric ward 859
 Adaptive behavior 43
 Addiction model 625
 Adherence 491, 549
 Aggression 4, 699
 Agitated depression 285
 Airplane 309
 Alternative psychosis 255
 Alzheimer's disease 1035
 Amenorrhea 13
 Amentia 327
 Analysis 385
 Anger 213
 Antidepressant 161, 671
 Antiparkinson agents 429
 Antipsychotic augmentation 1019
 Anxiety 213
 Anxiety psychotic structure 169
 Apathy 375
 ARB 795
 Aripiprazole 13, 153
 ASD 123
 Asperger's disorder 133
 Asperger's syndrome 413
 Assertive Community Treatment 997
 Atomoxetine 209
 Atopic dermatitis 535
 Attention Deficit/Hyperactivity Disorder (ADHD) 209, 309, 501
 Attitude 53, 293
 Attitude to Containment Measures Questionnaire 601
 Attitude Towards Aggression

Scale 601
 Audio features 1027
 Autism Spectrum Disorders (ASD) 133, 309, 501
 Autism-spectrum quotient 133
 Avoidant/restrictive food intake disorder 245

[B]

BDNF 671
 Benzodiazepine 799
 Bilingualism 921
 Binge eating disorder 245
 Bipolar disorder 795, 951, 1041
 Bipolar spectrum 959
 Bipolarity 959
 Bipolarity index 959
 Birnbaum 166
 Blonanserine 13, 437
 Borderline case 636
 Borderline personality disorder 143
 Brain development 209
 Bulimia nervosa 323, 981

[C]

Campus day care 391
 Campus social worker 385
 Car driving 21
 Case management 997
 Catalepsy 443
 Catatonia 443, 511
 Channelrhodopsin 281
 Child abuse 807
 Child guardianship 807
 Cholinesterase inhibitors 191
 Climacteric insanity 816
 Clinical course 1035

Clinical history 29
 Clinical path 859
 Clinical psychologist 609
 Cognitive behavioral therapy 65, 679
 Cognitive biases 65
 Cognitive function 655
 Cognitive impairment 655
 Cognitive reserve 921
 Collaborative care 753
 Community care system 777
 Community mental health 839, 997
 Community network 879
 Comorbidity 891
 Confiding to others 941
 Confusion 327
 Construct validity 699
 Consultation 385
 Consultation-liaison psychiatry 535
 Consultation psychiatry 113
 Consumer assessment 715
 Conversion of function of the ward 859
 Correlation 281
 Corticosteroid 443, 709
 Cotard's syndrome 447
 Cyberchondria 39
 Cyclothymic temperament 951

[D]

D-MAC 515
 D-PAT 515
 Daily cognitive functioning 21
 Day care 423
 Deinstitutionalisation 997
 Delinquency 4, 43

- Delirium 327
- Delusion 65, 429
- Delusional disorder in adolescence 76
- Dementia 113, 921
- Dementia with Lewy bodies 191
- Denial mechanism 549
- Depression 4, 157, 169, 213, 447, 655, 665, 679, 691, 699, 709, 739, 753, 763
- Depressive disorder 199, 221
- Depressive episode 323
- Developmental disorders 309
- Diabetes 591
- Diabetes mellitus 585
- Diagnosis 753
- Diagnosis classification 285
- Direct causality 281
- Disaster 967
- Disaster psychiatry 79, 515
- Dissociative mechanism 299
- Disturbance of consciousness 709
- Donepezil 191
- Drive model 625
- DSM 166, 327
- DSM-5 245
- Duloxetine 161, 303
- [E]
- e-mail 143
- Early intervention 405, 763, 771
- Early life stress 739
- Early schizophrenia 636
- Eating disorder 891
- Elementary school students 501
- Emergency department 53
- Empathy quotient 133
- Endo-reaktiven Dysthymie (endo-reactive dysthymia) 157
- Endogenous depression 724
- Epigenetics 739
- Epileptic psychosis 255
- Essen Climate Evaluation Schema 715
- Etiology 157
- Evaluation of psychiatric symptoms 869
- Experienced safety 715
- Extrapyramidal symptom 1041
- [F]
- FAST 1035
- Feeding and eating disorders 245
- Fukushima nuclear power plant accident 79
- Functional differentiation of psychiatric hospital beds 869
- Funeral facility 617
- [G]
- GAF-F 967
- General hospital 237, 609, 799
- General physician 221
- Globalization 367
- Great East Japan Earthquake 79, 169, 259, 967
- [H]
- Hallucination paranoid state 437
- Handicap 59
- Harm to others 931
- Health care planning 851
- Health information 39
- Hippocampus 671
- History of Korean psychiatry 617
- Hyperprolactinemia 13
- Hypnotic 799
- Hypochondria 447
- Hypochondriacal disorder 39
- [I]
- Illness feeling 549
- Illness narratives 429
- Impulsive 981
- Initial treatment 753
- Insight into disease 549
- Insomnia 679
- Internet 39
- Involuntary paranoia 816
- Involuntary paraphrenia 816
- Involuntary psychosis 816
- Isolated ACTH deficiency 709
- [J]
- Job-related stress 787
- Juvenile myoclonic epilepsy 595
- [K]
- Kangwha our Village 617
- [L]
- Late life depression 777
- Late-onset depression 1045
- Late schizophrenia 816
- Leave of absence 375
- Legal guardianship 807
- Levetiracetam 595
- Lithium 585
- Lithium carbonate 795
- Lithium intoxication 585, 795
- Liver transplantation 443
- Long-stay 879, 931, 1045
- [M]
- Major depression 477
- Major depressive disorder (MDD) 303, 771, 951
- Maladaptive behavior 43
- Mass media 101
- Mathematical model 567
- MCI 1035
- Media guideline 101
- Medical students 293
- Meige syndrome 153
- Mental health 59, 79, 413, 787
- Mental health and welfare act 879
- Mental health reform 837, 839
- Mental health system 839
- Mental supporter (AMIGO) 391
- Mentally disordered offender 931
- Metacognition 65

MFCC (Mel-frequency cepstral coefficients) 1027
 Mild mental retardation 319
 Ministerial guidance 837, 839
 Mirtazapine 161, 285
 Mood disorders 679
 Mood stabilizer 795
 Mourning work 169
 Multilingualism 921

[N]

Naikan therapy 625
 Negation 447
 Negative person evaluation 213
 NEO-FFI 229
 Network media 101
 Neural plasticity 671
 Neurally mediated syncope 545
 Neuroinflammation 1011
 Neuropsychiatric disorders 1011
 Neurotic depression 724
 Neurotoxicity 1011
 New generation antidepressants 477
 Nihilistic delusion 447
 Norepinephrine transporter gene polymorphisms 229
 Note book 143
 Nutrition education 665

[O]

Obsessive-compulsive disorder 1019
 Occupational mental health 747
 Olanzapine 511
 OpenEAR 1027
 Optogenetics 281
 Organic hallucinosis 437
 Orthostatic hypotension 545
 Outpatient 237, 799
 Outreach 777

[P]

Paliperidone 591

Palliative care 113
 Panic disorder 545
 Papageno effect 101
 Parenting capacity 807
 Parkinson's disease 429
 Paroxetine CR 491
 Pathogenic 166
 Pathological gambling 625
 Pathoplastic 166
 Patient-doctor communication 523

Patient-doctor relationship 523
 Peer problems 501
 Peer support 423
 Pervasive developmental disorder 237
 Pharmacotherapy 209, 763
 PHQ-9 405
 PNES 319
 Polypharmacy 799
 Postictal psychosis 255
 Potential bipolar 959
 Pragmatic mega-trial 477
 Preference of medicine 491
 Premenstrual dysphoric disorder 323
 Primary care 221, 535, 753
 Professional freedom of doctor 851
 Pseudoneurotic schizophrenia 636

Psychiatric clinical examinations 523
 Psychiatric nurse 601, 787
 Psychiatric services 259
 Psychiatric social worker 901
 Psychodermatology 535
 Psychological autopsy 199
 Psychological stress 1027
 Psychometric property 699
 Psychosomatic medicine 535

[Q]

Quality of life (QOL) 59, 491

[R]

Rapid-acting intramuscular olanzapine 511
 Receptor hypersensitivity 153
 Recovery 891
 Recovery program 391
 Rehabilitation 891
 REM sleep behavior disorder 161
 Residential foster care institution 43
 Resilience 655, 691, 763
 Retrospective study 237
 Risk factors 199
 Risk society 367
 Risperidone 591

[S]

Safety net 367
 Samsung Medical Center 617
 Scale development 123
 Schizophrenia 13, 21, 65, 591
 Schizotypal disorder 636
 Schizotypal personality disorder 636
 School non-attendance 399
 Selective serotonin reuptake inhibitor 323
 Self-help group 391
 Self-report questionnaire 213
 Sensory processing 123
 Sensory profile 123
 Serotonergic dysregulation 323
 Sex difference 29
 Shared decision making 523
 Sleep 679
 Sleep related eating disorder (SRED) 299
 SNRI 303
 Social anxiety disorder 76
 Social functioning 967
 Social isolation 777
 Social maladjustment 699
 Social reintegration 931

- Social skill training·····309
 Social support ·····29
 Social withdrawal ···391, 423, 901
 Sodium restriction ·····585
 Sodium valproate·····595
 Specified expectant mother ···807
 SSRI·····303
 SSRI refractory ·····1019
 Stigma ·····293
 Stress coping ·····567
 Stress vulnerability·····567
 Student service ·····423
 Students mental health ·····405
 Stupor ·····443
 Subthreshold depression ·····777
 Suicidal ideation ·····575, 941
 Suicide·····199, 285, 375, 981
 Suicide attempt ·····53
 Suicide prevention
 ·····29, 53, 101, 423, 575, 941
 Support Activities·····901
 Supportive care ·····113
- Switching·····491
 Systemizing quotient·····133
 [T]
 Tardive dystonia·····153, 1041
 Taijin kyofu shou ·····76
 TEMPS-A ·····739, 951
 Ten-kan·····255
 The Japanese Version of the
 Vineland Adaptive Behavior
 Scales-second Edition·····43
 Theft·····981
 Therapeutic holding ·····715
 Therapeutic relation ·····549
 Tic disorder ·····1019
 Tourette's disorder ·····1019
 Treatment effect ·····29
 Treatment-resistant ·····595
 Twilight state ·····327
 [U]
 University student ·····375, 399
- University students with mental
 malfunction ·····367
 UPI ·····405
 [V]
 Voce analysis ·····1027
 VSRAD ·····1035
 [W]
 Ward climate ·····715
 Welfare services·····879
 Widening disparity·····367
 Workplace environment·····747
 [Y]
 Yokukansan·····319
 [Z]
 Zolpidem ·····299