

KEY WORDS INDEX (vol. 37 No. 1~No. 12, 1995)

(本 index は一部選択編集しています。)

[A]

Abuse, sauna885
 Acute mountain sickness751
 Acute psychotic episode1085
 Acute renal failure391
 Adaptation935
 Adolescence595
 Adverse reaction317
 Age at onset1255
 Aggression1112
 Agoraphobia943
 Agraphia853
 Alcohol consumption1307
 Alcoholics844
 Alcoholism163
 Alzheimer type dementia1132
 Amygdala609
 Analysis
 a., cluster943
 a., DNA515
 a., regression951
 Annual change663
 Anorexia nervosa
 187, 885, 1057, 1147
 Antagonist431
 Anticipation1327
 Anticipatory anxiety943
 Antidepressants989
 Antipsychotic drugs391
 Anxiety456
 Apnea1319
 Apolipoprotein E1115
 Arson153
 Assessment199
 Attention process training1085

[B]

β -blocker1109
 Benzodiazepines715
 Bifrontal lesions1085
 Binge eating509

Bioavailability639
 Biological rhythm485
 Biostatistics118, 242
 Birth weight581
 Body temperature621
 Borderline case1265
 Boxing195
 BPRS369
 Bradyphrenia303
 Brain atrophy861
 Brain damage, chronic1323
 Brain morphology1155
 Bulimia nervosa
 195, 509, 1057, 1147

[C]

CAG repeat377
 Carbamazepine649, 737
 Case study682
 Catchment area99, 663
 Cénesthésie397
 Cerebral atrophy751
 Cerebral blood flow
 309, 645, 731, 951
 Cerebral infarction861
 Cerebral white matter lesions
 759
 Change of dosage form639
 Character accentuation751
 Childbirth1303
 Childhood-onset723
 Chorea-acanthocytosis743
 Chromosome, sex171
 Circadian rhythm1217
 Classification615
 Clinic
 c., outpatient822, 829, 833, 837
 c., psychiatric801
 c., sleep disorder825
 c., specialty847
 Clinical epidemiology118, 242

Clinical utility137
 Clinimetrics118, 242
 Clonazepam715
 Clonidine771
 Coma921
 Community care27, 53, 59
 Community facilities6
 Community-based care73
 Comorbid social phobia and panic
 disorder975
 Compliance1185
 Compulsive water drinking657
 Computerized tomography
 861, 1155
 Conditioning1049
 Consultation liaison service405
 Coordination of volunteer psychia-
 trists from all over the country
 693
 Coping1229
 Creatine phosphokinase1063
 Criminal responsibility153
 Cytokines570

[D]

Day care369, 908
 Day hospital822, 908
 Defense935
 Deficit997
 Delirium869, 1071, 1211, 1319
 Delusion
 d. of parasitosis397
 d. of interpretation1199
 d. of negation927
 d. of possession153
 Dementia
 743, 759, 833, 861, 981, 1115
 d. of the Alzheimer type
 417, 1132, 1246
 d., vascular1115, 1132, 1246
 Dentato - rubro - pallido - luysonian

atrophy (DRPLA)377,515	Drawing877	Folie à trois153
Dependence.....431	Dresden congress in 18941132,1246	Food-cutting187
d., alcohol523	Drinking pattern.....1303	Forced laughing603
Depersonalization.....755	Drug-induced agranulocytosis 737	Foreign patient1207
Depression 303,413,456,755,1109	DSM-III-R1193	Frontal intermittent rhythmic delta activity653
d., delusional927	DSM-IV1193	[G]
d., major621,653,1303	Duration of pharmacotherapy359	GABA1214
d., endogenous1177	Dyskinesia	General psychopathology of Karl Jaspers.....232
d., prolonged1177	d., respiratory1099	Genetics501,581
d., recurrent brief1217	d., tardive1099	Gilles de la Tourette771
d., senile861	[E]	Glaucoma1109
Dermatomyositis993	Earthquake, Great Hanshin687,693,701,775	Granulocyte colony stimulating factor737
Descriptive-comprehensive psychopathology232	Eating behavior.....277	Group
Digitizing tendency187	Educational needs1031	g. cohesiveness143
Disability1041	EEG abnormality1323	g. consultation143
Disaster682	Elderly.....959	g. home19,27
d. of an earthquake707	Emergency and critical care unit1229	g. psychotherapy.....844,1020
d. psychiatry687	Emergency, psychiatric ..701,707	[H]
Disease	Emotion609	5-hydroxyindoleacetic acid ..1281
d., Creutzfeldt-Jakob.....1177	e. excitement519	Hallucination, visual79
d., Huntington's.....743	Employment65	h., musical989
d., late-onset Alzheimer's...1115	Encephalitis, measles.....1289	Head trauma313
d., Marchiafava-Bignami's ...163	Epilepsy95,259,639,1199	Health center.....682
d., Parkinson's303,427,501	Estrogen1171	Hepatitis, chronic type C317,344,523
Disorder	Ethnic minority.....847	Here and now143
d., affective.....967	Event related potential653	Historical development.....1020
d., behavior.....277	Excessive sleepiness1093	HIV1207
d., brief psychotic1207	Exercise456	Home care1221,1335
d., eating595,850	Expressed emotion.....53	Homovanillic acid1281
d., generalized anxiety1303	Extreme situation.....775	Homosexual885
d., mental377,847	[F]	Hyperammonemia383
d., mood.....951,1327	Facial expression877	Hypercalcemia1211
d., obsessive compulsive 291,383	Fairness approach841	Hypersomnia825
d., organic mental1193	Family850	h., idiopathic1093
d., panic.....291,943,975,1303	f. intervention53	Hypонатremia657,1063
d., personality129,885	Fear of eye-to-eye confrontation1273	[I]
d., post-traumatic stress ..1049	Fear of side-glancing1273	ICD-101255
d., substance-induced344	Feeling of insufficiency1112	¹²³ I-IMP SPECT493,985
d., thought.....87	Flunitrazepam1214	Imipramine.....989
d., treatment-resistant affective477	Flurazepam959	Incendiarism.....1112
Dissociation935	Folie à deux297	Influenza344
Disturbance of consciousness ..383		Informed consent1031
Diurnal rhythm621		
Dose reduction359		

- Insomnia825
 Institution speciality37
 Intellectual defense1265
 Intelligence deterioration751
 Intelligence disturbance1297
 Interferon317,344,523
 Interleukin570
 Intoxication, acute valproate ...921
 Intoxication, water
179,467,657,1063
 Irritability519
 [J]
 Japanese version997
 Junior high school student775
 [K]
 Kana853
 KIDI1031
 Kyoto-Iwakura-mura ...1221,1335
 [L]
 Life events1303
 Limbic system383
 Lithium413,1331
 Long-term outcome967
 [M]
 Mainstream care847
 Malingered527
 Manic episode253
 Maprotiline989
 Maudsley Obsessional Compulsive
 Inventory291
 Mazindol519
 Medial temporal lobe417
 Menstrual cycle485,509
 Mental health1229
 M.H. Act6
 m.h. care682
 m.h. consultation143,775
 Mental hospital794
 Mental retardation1079
 Metachromatic leukodystrophy
763
 Mianserin1319
 Misidentification269
 Mode of transmission1327
 Monoamines501
 Morphine type narcotic431
- Mosaic171
 MRI163,515,759
 Multiple myeloma1211
 Multiple sclerosis1297
 [N]
 Nasal continuous positive airway
 pressure1185
 Needs6
 Neonate581
 Neurodevelopment581
 Neuroleptic pharmacotherapy
715
 Neuroleptic withdrawal359
 Neuropsychology285
 Neurotransmitter427
 Nonfunctioning pituitary
 adenoma653
 [O]
 Obesity1185
 Objective of day care treatment
37
 Operationally defined diagnostic
 criteria232
 Ophthalmology869
 OSA sleep inventory485
 Outcome1071
 Outpatient treatment for drug
 dependence841
 [P]
 P 300 amplitude629
 Palilalia603
 Pallidal lesions751
 Pamidronate disodium1211
 Panic attack943,1105
 Paradoxical counter-measure 589
 Parietal lobe hemorrhage853
 Parkinsonism523
 Paroxysmal kinesigenic choreo-
 athetosis95
 Partial hospitalization908
 Partnership33
 Passive-aggressiveness129
 Peer support33
 Pentazocine431
 Period prevalence467
 Personality456,1229
- Personality changes743,993
 Phenothiazine derivatives737
 Phenytoin639
 Phobia, social975
 Phototherapy985
 Pimozide657
 Placebo413
 Placeness of being37
 Poisoning, organophosphate ...1323
 Polysomnography (PSG) 825,1093
 Pontine infarction755
 Positron emission tomography
645,731
 Postictal253
 Postmarital onset1147
 Postoperative complications
253,869
 Pravastatin391
 Premarital onset1057
 Premorbid personality927
 Progesterone1171
 Prognosis285,615
 Pseudohallucination79,397
 Psychiatric emergency service
829
 Psychiatric polydipsia 179,467,653
 Psychiatry
 p., adolescent837
 p., community99,663
 p., emergency99,663
 p., general hospital794,829
 p., liaison405
 p., liaison-consultation1193
 Psychoeducation59,1031
 Psychometrics118,242,285
 Psychoneuroimmunology570
 Psychopathology129,1265
 Psychosis
 p. of association297
 p., alternative253,259
 p., atypical397,1255
 p., epileptic253,645
 p., induced153
 p., manic-depressive ...501,759
 p., organic981
 p., periodic1171

- p., prison527 313, 317, 359, 369, 391, 527, 581, Symptom
- p., steroid1297 595, 629, 657, 715, 723, 771, 877, s., autonomic1093
- p., symptomatic993 908, 997, 1031, 1041, 1105, 1112, s., Capgras'609
- Psychosocial stressor589 1155, 1161, 1199, 1255, 1265, 1327, s., depressive1331
- Psychosurgery285 1331 s., frontal lobe763
- Psychotherapy129 s. like symptoms171, 743 s., negative369, 1041
- Pulmonary edema179 s., cenesthetic397 s., neuropsychiatric767
- [Q] s., chronic65, 277 s., obsessive compulsive723
- Quality of life13, 19 s., paranoid645
- Quick eating277 Seizure639, 1323 s., positive1041
- [R] Self disturbance771 s., prodromal595, 723, 1177
- Randomization task87 Self help19, 33, 844 s., psychotic519, 993
- Recurrence163 Self-realization1112 Syndrome
- Redidual type of schizophrenic Semitone649 s., alcoholic Korsakoff's493
-277 Septum pellucidum cyst981 s., Cotard's927
- Regional cerebral blood flow Serum free- T_4 477 s., delusional misidentification
- (rCBF)417, 493 Severe and persistent mental ill1199
- Regional characteristics99, 66373 s., disconnection163
- REHAB199 Sex differences1155, 1255 s., epileptic615
- Rehabilitation Sheltered workshop13 s., episodic neuropsychopath-
-13, 45, 65, 73, 1041, 199 Side effects344, 1319 ological715
- Relapse53, 359, 1323 Silver impregnation1132, 1246 s., Frégoli269
- Relapse of mental illness after Sleep apnea959, 1079, 1185 s., Klinefelter's171
- disaster701 "So-called" school refusal589 s., Marfan767
- Reliability291 Social skill19 s., MLF603
- Remission967 Social skills training45 s., neuroleptic malignant
- Remitted catatonics629 Sodium valproate383313, 1063, 1214, 1281
- Respiratory control system959 SPECT309, 417, 763, 951, 985 s., non-24-hour sleep-wake985
- Respiratory distress921 Sporadic case377 s., Pierre Robin1079
- Rhabdomyolysis391 Sports195 s., psychiatric1289
- Rhythm1161 State
- Rights of man33 s., delusional-hallucinatory ^{99m}Tc-HMPAO309
- [S]259, 1297 Taijinkyofu1273
- 6-sulphatoxymelatonin621, 1217 s., psychotic95 Teachers' group143
- SANS369 s., self-hypnoid935 Tegmental lesions603
- Scale Stress570, 1049, 1229 Temporal lobe epilepsy609, 645
- s., behavior rating199 Study, comparative1307 Terminal care405
- s., clinical screening467 s., crossover413 Test, Kusamura137
- s., global assessment967 s., single blind413 Test, multiple sleep latency1185
- s., Hamilton depression309, 951 Stupor1171 Test, neuropsychological417
- s., nursing difficulties467 Subjective experience997 Thalamic lesion1297
- s., rating997 Subjective sleep feelings485 The role of psychiatrists in soci-
- s., self-rating depression309 Suicide1112 ety801
- Schizophrenia Sulpiride737 Therapy, Treatment187
- 27, 45, 53, 73, 79, 87, 137, 269, 285, Support system687 t., antiepileptic drug259
- Symbiosis of married couple297 Symbiosis of married couple297 t., behavior1049

t., clomifene citrate-HCG·····1171	Transitional employment·····33	Visual disturbance·····921
t., electroconvulsive ·····303, 427, 1281	Trazodone·····1105	Visual imagery·····79
t., family·····59	t., outpatient·····794, 847	[W]
t., group·····850	t., goals of·····841	War-criminals·····527
t., music·····1161	Triplet repeats·····1327	Watershed infarction·····1085
Thyroxine·····477	[U]	Withdrawal of neuroleptics··1099
Time to recovery·····1071	Urinary catecholamines····1063	[Z]
Timolol maleate·····1109	[V]	Zopiclone·····959
Trait or state marker·····629	Validity·····291	
	Ventriculography·····981	

■経験に基づく精神科看護のリーダーシップの働きを解説。

精神科看護リーダーシップ

新刊

西本香代子 紀の川病院総婦長

リーダーシップは看護の重要な要素ですが、とりわけ精神科看護の世界では病棟全体の問題としてとらえていくことが大切です。この本は、豊富な経験に基づいて精神科看護のリーダーシップの働きを解説し、指導的な立場にある看護婦に具体的なヒントを示しています。精神力動についての手引書としても、精神科看護に携わるすべての人々にお勧めしたい本です。多くの事例は、職場での学習や討論の資料として活用するのに最適です。

●A5 頁214 1995
定価2,678円(税込) 〒400

[ISBN4-260-34185-5]

■主要内容

- I. 精神科看護リーダーシップ入門 精神科看護とリーダーシップ／リーダーシップの基本／リーダーシップのスタイル／スタッフがリーダーに求めているもの／看護の力を育てる／カンファレンス
- II. 体験的リーダーシップ論 マンツーマンの落とし穴／評価のタイミング／中立性を保つことのむずかしさ／扇動者
- III. 事例の分析 アサリ汁事件：料理教室の献立が希望通りにならなかったM患者の暴力／よくある出来事はくりかえされるアサリ汁事件のM患者からの問題提起／医療チームの精神力動／婦長の試練—S患者の自殺／看護者の逆転移によりチームの「抱える機能」が作動しないまま退院した患者



医学書院

1113-91

東京・文京・本郷5-24-3

☎03-3817-5657 (お客様担当)

☎03-3817-5650 (書店様担当)

振替 00170-9-96693