

KEY WORDS INDEX (vol.38 No. 1~No. 12, 1996)

(本 index は一部選択編集しています。)

- [A]
- A.C.E. inhibitors963
- Abnormal attachment behaviors118
- Abulia67
- Abuse
- a., drug760
- a., inhalant1289
- a., methamphetamine619
- a., substance287
- ACOA(Adult Children of Alcoholics)574
- Acute lymphocytic meningoencephalitis545
- Adrenoleukodystrophy747
- Advanced cancer355,939
- Adverse effect208
- Affective response1265
- Agensis878
- Aggression807
- Aging411,635
- AIDS427
- Akathisia275,1297
- Alexia with agraphia301,519
- Alexithymia1055
- Amnesia97,627
- a., psychogenic597
- a., recovery from419
- a., retrograde419,949
- a., total619
- Amyloid1185
- Anabolic steroids760
- Androgens760
- Animal model1132
- Animal-related psychopathological experiences49
- Anorexia nervosa587
- Anosognosia1087
- Antecollis43
- Anticipation1197
- Anticonvulsants387
- Antidepressants405,825,1215
- Anti-inflammatory agents205
- Antipsychotics1079
- Anxiety1179
- Aphasia67,493
- a., Gogi1207
- a., primary progressive639
- Apraxia, constructional1257
- Association1132
- Attachment574
- Attention195
- Automatism204
- Autonomic nerve function871
- Autosomal dominant1197
- [B]
- Basal ganglia67
- Benzodiazepine ligands843
- Bereavement467
- Blindness411
- Borg's index1073
- Bromocriptine399,741
- Bromvalerylurea267
- Brotizolam97
- Bulimia nervosa587
- Bullying in schools807
- [C]
- Ca²⁺ channel1329,1337
- CAG repeat1190,1197
- Cancer patients1231
- Candidate gene1147,1155
- Carbamazepine169,1097
- Cardiac autonomic function431
- Care
- c., maternal857
- c., palliative355,939
- Catatonia141
- Catatonic excitement753
- Caudate nucleus67
- Cerebral infarction519,881,1087
- Chiari I malformation1097
- Child abuse647
- Childhood719
- Childhood onset686
- Cholecystokinin1179
- Chronic renal failure910
- Chronobiology313
- Circadian rhythm6
- Citrullinemia1289
- Classification709
- Clinical intervention344
- Clomipramine181,727,849,979,1101
- Clonazepam275,957
- CNS complication643
- Codeine phosphate1293
- Co-dependency574
- Cognitive enhancers1321
- Combination use963
- Communication of affection1265
- Community life371
- Community social resource1248
- Co-morbidity709
- Constructivism1022
- Convulsion37
- Corpus callosum878
- Correct behavior525
- Creatine phosphokinase1223
- Criminal offender287
- Cytochrome P 450211,865
- [D]
- Deafness19
- Deinstitutionalization232
- Delirium103,355,1289
- Delusional disorder somatic type

-699
- Dementia103, 639, 747
- d. of the Alzheimer type ...1309
- d., presenile91
- d., semantic1207
- d. in the elderly people ...1265
- Dependence
- d., alcohol1163
- d., nicotine533
- Depersonalization878
- Depression
- 6, 67, 79, 149, 313, 939, 987, 1215, 1301
- d., involuntal141
- d., major73
- d., major (recurrent)825
- d., prolonged957
- d., refractory399, 405
- d., treatment-resistant...399, 868
- Desmethylated metabolites ...181
- Diazepam307, 1297
- Difficulties in mothering647
- Diffuse neurofibrillary tangles with calcification91
- Disaster
- d., natural (Acts of God)344
- d., technological344
- Discontinuation of antiepileptic drugs1043
- Disease
- d., Alzheimer91, 1185, 1257
- d., autoimmune643
- d., Creutzfeldt-Jakob1193
- d., Fahr's91
- d., Huntington's1190
- d., Parkinson763
- d., Pick's91, 301, 639
- d., susceptibility gene1171
- d., temporal Pick's1207
- Disorder
- d., adjustment1231, 1273
- d., affective208, 987, 1147
- d., bipolar affective957
- d., body dysmorphic699
- d., circadian rhythm sleep ...363
- d., depressive709
- d., dissociative100
- d., generalized anxiety73, 1293
- d., mood313, 1097
- d., multiple personality (MPD)597
- d., obsessive compulsive (OCD)849, 979, 1101
- d., opioid induced psychotic1293
- d., organic manic875
- d., panic73, 387, 709
- d., personality587, 849
- d., schizotypal personality ...427
- d., sleep313, 975
- d., thought921
- d., borderline1022
- Dissociation597
- Dolittle phenomenon49
- Dopamine399, 763, 971
- d. agonist868
- Drinking525
- DRPLA1197
- Drug
- d. compliance1043
- d. discontinuation253
- d. interaction835, 865
- d., antidementia1309
- d., antiepileptic103
- d.-induced liver injury208
- d., nonsteroidal anti-inflammatory963
- DSM-III-R767, 1215
- DST83
- Dysgraphia195
- Dyskinesia, oral635
- Dysmorphophobia699
- Dystonia, tardive43
- [E]
- Earthquake719
- Education525
- EEG175, 431
- EEG abnormalities187, 387
- Ego-supportive attitude857
- EIA method835
- EMBU1065
- Empirical research477
- Encephalitis983, 1105
- Endurance exercise1073
- Epilepsy
- 295, 387, 393, 975, 1043, 1049, 1155
- e., startle1091
- e., temporal lobe175, 921
- ERP733
- ERP, spatial analysis of1315
- ERP topography1315
- Euthanasia939
- Existential suffering939
- Exogenous factor750
- Expressed emotion987
- [F]
- Factor analysis493
- Fagerström tolerance questionnaire533
- Family987, 1248
- Female73, 259
- Female hormone169
- First manic episode613
- Flashback phenomenon619
- FLE393
- Fluency493
- Flumazenil843
- Frontal hypoperfusion310
- [G]
- GABA763, 1179, 1297
- Genetics1147, 1202
- Global Assessment of Functioning (GAF)181
- Glossardiagnostik501
- Glucuronide conjugates181
- "Gonbodane"100
- G-protein1329, 1337
- [H]
- Hallucination
- h., auditory49
- h., musical19
- h., visual release411
- Haloperidol835, 865, 1049

- Head injury419
 Head trauma875
 Hemiplegia1091
 Hemodialysis741, 910
 Hemophilia A427
 Hepatic encephalopathy843
 Hepatitis C83, 627, 1227
 High level lithium concentration
 in blood963
 High-risk infants for autism
 118
 Hippocampus55
 HIV infection427
 HLA1171
 Homicide97, 807
 Hopelessness757
 HPA-axis83
 Huntingtin1190
 Hydroxylated metabolites181
 Hyperammonemia1289
 Hypersexuality1083
- (I)**
 ICD-1027, 533
 Immunosuppressant304
 Incidence727
 Individual and community
 response344
 Informed consent997
 Insomnia6
 i., psychophysiological363
 Interferon83, 310, 627, 1227
 International classification of
 sleep disorders (ICSD)363
 Intoxication205, 1105
 i., lithium963
 Intuition501
 Isolated ACTH deficiency187
 Itraconazole211, 865
- (J)**
 Japanese male smokers533
 Japanese male youth807
- (K)**
 Kanji519
- Knick1281
- (L)**
 LAPIDES vesicostomy135
 Laser Doppler flowmetry871
 Late-onset141
 Laterality175
 L-dopa741
 Life event73, 259, 467
 Limbic permeability829
 Linkage1132
 Lithium79, 205, 208, 763
 l. addition405
 LLPDD94
 Locus of control574
 Logical empiricism485
 Long stay patient1248
 Long-term hospitalization245
 Lormetazepam211
 Lupus anticoagulant881
- (M)**
 Mania467, 979, 987
 m., secondary875
 Manic episode957
 Manic-depressive illness635
 Manual for suicide attempt267
 Medical service371
 Melancholic type of personality
 157
 Memory419
 m., declarative63
 m., episodic949
 m., procedural63, 1257
 m., semantic949
 Mental health379
 m.h. consequence344
 m.h. consultation371
 Mental senility379
 Mentally disordered offender
 1109
 Methamphetamine796
 Methylcobalamine363
 Midazolam307
 Minors525
 Mitochondrial DNA1202
- MMPI281
 Molecular biology1163, 1193
 Molecular genetics1141
 Mother-daughter relationship
 857
 MRI55, 175, 301
 Multiple logistic regression analy-
 sis605
 Myoclonus, nocturnal275
 Myoglobin1223
- (N)**
 Narcolepsy1171
 Nefiracetam1315, 1321, 1337
 Neuroblastoma1329
 Neurochemistry796
 Neurofilament1185
 Neuroleptics817
 n. dose reduction929
 n.-naive733
 Neurosis163
 Nicotine1315
 Nonsteroidal205
 Nootropics1309, 1321, 1329
 Noradrenaline1179
 Noradrenergic function149, 750
 Normal CSF findings983
 Null-hypothesis485
- (O)**
 Obsessive-compulsive personality
 1055
 Ofloxacin753
 Opioid receptor1337
 Outpatient253, 767
- (P)**
 12P1197
 P300733
 Pain insensitivity1079
 Panic attack750
 PANSS605
 Parahippocampal gyrus519
 Parasomnia6
 Parental rearing1065
 Parkinsonism1227

Paroxysmal hypersomnolence	975	Psychoeducation	1022	(S)
Patch-clamp	1329	Psychogenic urinary retention	163	6-sulphatoxymelatonin
PDQ-R	587	Psychological autopsy	477	Scale
Penile erection	1083	Psychological crisis	379	s., brief psychiatric rating
Peptic ulcer	1079	Psychonephrology	910	s., Kasahara's
Pergolide	868	Psychose passionnelle	1281	s., Manchester
Periodic movements in sleep	741	Psychosis	393, 760, 881	s., Obsessive Personality Trait
Periodic somnolence	541	p., affective	83	s., rating
Personalité paranoïaque	1281	p., atypical	27	s., Toronto alexithymia
Personality changes	747	p., epileptic	829, 921, 1093	s., Yale-Brown obsessive-com-
Phänomenologie	501	p., functional	195	pulsive
Phantom limb	1087	p., late-onset	796	Schizophrenia
Pharmacokinetics	796	p., manic depressive	878	19, 27, 43, 55, 63, 127, 135, 141,
Phenytoin	1105	p., obsessive	699	245, 259, 267, 431, 513, 605, 686,
Piroxicam	205	p., periodic	169	733, 817, 857, 871, 921, 929, 1022,
Pituitary microadenoma	169	p., residual	796	1073, 1079, 1141, 1219, 1223, 1248,
Polysomnography	275	Psychosocial stressor	1273	1281
Prednisolone	79	Psychosomatic symptom	719	s., remitted
Presenilin	1185	PTSD	719	SCID-II
Prions	1193	Public health center	371	Sedation
Process of remission	857	(Q)		Seizure
Profiles of symptoms	605	Questionnaire	997	s., autonomic
Prolactin	829	(R)		s., limbic
Proper name	513	Reaction time	127	Selective serotonin reuptake in-
Propericiazine	1093	Readmission	245	hibitor (SSRI)
Prophylaxis	405	Recurrence of seizures	1043	Self-determination
Prostaglandin E ₁	1301	Reduplicative paramnesia	513	Sensory deprivation
Psychiatric emergency		Relapse	245, 259, 541, 929	Serotonergic agent
p. e. in Japan	1109	r. liability	796	Serotonin
p. e. services	232	Reliability	157, 1065	Sex difference
Psychiatric evidence	97	Renal cell carcinoma	310	Sexual dysfunction
Psychiatric morbidity	304	Renal transplantation	304, 910	Side effect
Psychiatric polydipsia (PP)	135	Representativeness	477	Sleep clinic
Psychiatric unit of general hospi-		Resiliency	574	Sleep deprivation
tal	232	Response rate	825	Sleep medicine
Psychiatry		Retreatment	825	Social deficits
p., community	232	Reverse tolerance phenomenon	796	Social pathology
p., consultation-liaison	423, 875	Rhabdomyolysis	1223	Socioeconomical status
p., general hospital	423	Risk factor	757, 1163	Somatic complications
p., liaison	910, 1231	Role-play	525	Somatoparaphrenia
p., medical	1109			Somnolence
p., transcultural	1065			SPECT
Psychic energy	127			175, 301, 310, 545, 627, 1049
				Splitting
				597

- State
 s., acute confusional195
 s., depressive1293
 s., twilight1049
- Statistic456, 485
- Status, petit mal204, 975
- Status, psychomotor204
- Stress response127
- Structured clinical interview for
 DSM-III-R849
- Study
 s., association1141, 1147
 s., case459, 467
 s., community-based477
 s., large scale459
 s., linkage1141, 1147, 1155
 s., PF281
 s., retrospective613, 727
- Stupor169
- Subclassification1215
- Suicide423, 757, 807
- Sulpiride253
- Superstition100
- Symptom
 s., clinical613
 s., extrapyramidal971
 s., first rank27
 s., mental187
 s., negative1219
 s., non-psychotic259
 s., persistent manic like310
 s., prodromal929
 s., psychic545
 s., psychotic431
 s., schizophrenia-like295
 s., Schneider's first rank393
- Syndrome
 s., antiphospholipid881
 s., Capgras'513
 s., catatonic983
 s., Charles Bonnet411
 s., delayed sleep phase (DSPS)
281
 s., delusional misidentification
513
 s., Down's1091
 s., Kleine-Levin541
 s., malignant431
 s., Meige763
 s., neuroleptic malignant
37, 643, 971, 1035
 s., polycystic ovarian169
 s., possession100
 s., premenstrual94
 s., pure amnesic949
 s., restless legs741
 s., serotonin727, 1035
 s., Sjögren's643
 s., transient627
- Systemic lupus erythematosus
79, 881
- (T)
- Tactual threshold1073
- Tau1185
- Telephone counseling647
- Test
 t., Rorschach281, 379, 921
 t., YG281
- Therapeutic drug monitoring
835
- Therapy
 t., electric convulsive37
 t., family1022
 t., modified electroconvulsive
423
 t., sleep deprivation313
- Thyrotropin releasing hormone
 (TRH)971
- Thyroxine94
- Time of blood sampling835
- Tinnitus19
- TLE393
- Torsade de pointes307
- Torticollis43
- Trazodone1083, 1219
- Treatment
 t., combination1219
 t., electroconvulsive141
 t., hospital287
 t., intermittent253
- Trichotillomania1101
- (U)
- Urinary tract abnormality135
- (V)
- Violent behavior287
- (W)
- Withdrawal, opioid1293
- (X)
- Xenopus oocyte1337
- (Z)
- Zopiclone211

MEDICAL BOOK INFORMATION ————— 医学書院

今日の治療指針 1997年版 私はこう治療している

監修 日野原重明・阿部正和
 総編集 稲垣義明・多賀須幸男・尾形悦郎

●デスク判 B5 頁1,486
 定価18,540円(税込) ¥700
 [ISBN4-260-10897-2]

●ポケット判 (B6縮刷版)
 定価14,420円(税込) ¥400
 [ISBN4-260-10898-0]

臨床医が日常遭遇する疾患を網羅し、その治療方針を収録した治療年鑑。944名の専門家が966項目の最新治療法を紹介。増加する新薬に対して、日常用いる薬物の最新データを収録。治療薬使用の手引、皮膚外用薬を収録。抗癌剤、抗生物質、急性中毒、薬物の副作用と相互作用のデータ、基準値一覧、CT・MRI正常解剖と肺・肝の区域図まで収録。