

KEY WORDS INDEX (Vol.40 No. 1~No. 12, 1998)

(本 index は一部選択編集しています。)

[A]

Abnormal drunkenness531
 Abuse
 a., laxative419
 a., sexual939
 Acute lymphocytic meningo-
 encephalitis63
 Acute myelocytic leukemia723
 Acute pancreatitis1115
 Adaptation599
 Addiction753
 a., methamphetamine994
 Aged patient307
 Agoraphobia607
 Akathisia, tardive761
 Alcoholism175, 531, 831
 Aldehyde dehydrogenase-2
 (ALDH 2)525, 531
 Alprazolam539
 Analysis, EEG spectral997
 Aniracetam971
 Anorexia nervosa
 59, 234, 247, 389, 711, 781, 979, 1300
 Anxiety767
 Apolipoprotein E619
 Arachnoid cyst295
 Asian and Oceanian Epilepsy
 Organization487
 Asian countries464, 479
 Association
 a., phonological623
 a., semantic623
 Atypical antipsychotics692
 Auditory agnosia1213
 Autism623
 Autonomy1044, 1144
 Awakening773

[B]

Biological marker8
 BITE711
 BMI979
 Body fat59
 Body image247
 Body temperature769
 Brain abscess201
 Brain atrophy175, 279, 289
 Brain damages45
 BSABS729
 Bulimia nervosa
 59, 234, 247, 389, 703, 711, 781, 1300

[C]

Cancer1325
 c., advanced823, 1187
 Carbamazepine
 147, 197, 303, 415, 1213
 Carbon monoxide poisoning.....1275
 Cardiac autonomic function37
 Career women525
 CATCH 22167
 Cenestopathy437, 507
 Cerebellar ataxia1179
 Cerebral blood flow971
 Cerebral infarction1123
 Certification364
 Cholesterol1300
 Chromosome 12965
 Clomipramine547
 Clouding of consciousness
 723, 997
 Clozapine1209
 Codependency753
 Cognition
 c., objective31

 c., subjective31
 Cognitive function773
 Cognitive model1069
 Comorbidity
 53, 234, 586, 1061, 1269
 Conditional discharge77
 Continuous ambulatory peritoneal
 dialysis853
 Conversion1044, 1144
 Coping607
 c. skills543
 Corneal ulcer395
 Cortisol629
 Cox proportional hazard model
 71
 CRF629
 CT155, 959
 Cult1044, 1144
 Culture473
 Cyanamide517

[D]

Day care71, 1095
 Debriefing865
 Delirium307, 823, 853
 Delusion, persecution423
 Dementia
 401, 983, 1103, 1163, 1289
 d., multi-infarct205
 d., presenile205
 Dentato-rubro-pallido-luysian
 atrophy (DRPLA)423
 Department of advocate857
 Dependence916
 Depression
 539, 1061, 1111, 1193, 1205, 1297, 1325
 d., monopolar23
 Difficult case375

- Diffuse neurofibrillary tangles with calcification205
- Disability407
- Disaster873, 881
- d. management865
- d. mental health881
- Disease
- d., Alzheimer's71, 923
- d., Creutzfeldt-Jakob923
- d., Fahr's205
- d., juvenile Alzheimer's745
- d., Neuro Behçet983
- d., sporadic Alzheimer's619
- Disorder
- d., adjustment303
- d., affective1283
- d., autistic303
- d., bipolar affective141, 167
- d., body dysmorphic183
- d., borderline personality1171
- d., conversion555, 939
- d., dissociative555
- d., dissociative identity703
- d., eating53, 59, 234, 247, 419, 711, 1300
- d., factitious1171
- d., impulse control1053
- d., obsessive-compulsive547, 586, 641, 839
- d., organic mental1107
- d., panic53, 295, 586, 607
- d., periodic limb movement761, 847
- d., personality839, 1269
- d., post-traumatic stress (PTSD)586, 873, 881, 889, 939, 1061, 1069
- d., rhythmic movement931
- d., schizoaffective131, 135, 141, 147, 163
- d., seasonal affective539
- mood d. with psychotic symptoms135, 147
- d., persistent affective649
- d., thought8, 1087
- Dissociation703
- Distress, abdominal637
- Disturbances, behavioural1103
- Donor-recipient relationship1337
- Drinking behavior525
- Drug
- d., antiepileptic201
- d., antipsychotic517, 613
- d., nonsteroidal anti-inflammatory1179
- Dyskinesia, tardive423, 1201
- Dysmorphophobia183
- Dysphasia1201
- Dysphoria629
- Dystonia, tardive1201
- Dystonic seizures induced by movement415
- [E]**
- Eating disorder inventory247
- EEG745
- EMBU253
- Encephalopathy63
- e., Wernicke's311
- Epilepsy201, 303, 415, 1155
- e., management487
- Ethics in medical research1225
- Etizolam916
- Events triggering occurrence of symptoms1111
- Exogenous reaction type987
- Expressed emotion (EE)23, 945
- [F]**
- Family dynamics1337
- Fear of sleep talking641
- Fluphenazine decanoate653
- FMSS(Five Minute Speech Sample)23
- Forensic unit857
- Frontal atrophy1289
- [G]**
- Gastrectomy311
- Gender difference839
- General health questionnaire83
- General paresis1001
- Genetic factor815
- Genetics135
- Genital neoplasms1193
- [H]**
- Hallucination381, 437
- h., auditory381
- h., visual209
- Hanshin-Awaji Earthquake873, 889, 1069
- Headbanging931
- Head injury987
- Health-seeking behavior1077
- Hepatitis C401, 649
- High-risk child815
- HIV1119
- HTLV-I associated myelopathy (HAM)1297
- Hyperamylasemia1115
- Hypercholesterolemia1300
- Hyperlipidemia175, 279, 1289
- Hypertension45, 175, 279, 983
- Hyponatremia1209
- Hypoxia289
- Hysteria555
- [I]**
- ILAE Commission on Asian and Oceanian Affairs487
- Impairment407
- Increased appetite1103
- Indirect priming623
- Informed consent517, 1217, 1225
- Injection, subconjunctival991
- Institutionalization71
- Interferon401, 649, 717, 723, 767
- Intergenerational transmission753

- International perspective464
 Intoxication, water613
 Isolated ACTH deficiency629, 1205
- [J]**
 Jactatio capitis nocturna931
 Juvenile delinquents253
- [K]**
 Kidney transplantation1099, 1337
- [L]**
 Leptin59
 Leukoaraiosis1289
 Lithium147, 197
 l. intoxication1179
 Lorenz plot37
- [M]**
 Major depressive episode23
 Mania, secondary987
 Medical fee431
 Medical psychiatry unit375
 Medical staffs83
 Mega cisterna magna295
 Melatonin539
 Meningoencephalitis, aseptic303
 Mental health83, 1307
 m. h. act 1983315
 m. h. consultation1077
 m. h. law499
 m. h. services464
 Mental hospital857
 Mesolimbic structures645
 Methotrexate723
 Mind control1044, 1144
 Minimum knowledges of psychiatrist364
 MMPI831
 Morita shinkeishitsu493
 Morphine823
 MRI
-45, 141, 175, 279, 295, 737, 745, 1289
- [N]**
 Neuroimaging141, 155, 923
 Neuropsychiatric complications1155
 Neuropsychological examination1001
 Neurosis586
 Nonverbal feedback263
- [O]**
 Oncology1325
 Operational diagnostic criteria131
 Oral cavity437
 Organ transplant1343
 Out-patient873
- [P]**
 P 300407, 737
 Pain1099
 Palliative care823, 1187
 Panic attack767
 Paradoxical1099
 Paranoid jealousy307
 Parasomnia931
 Parental rearing behavior253
 Parkinsonism401
 Paroxysmal kinesigenic choreoathetosis415
 Pathological crying1123
 Peer counseling1331
 Pericentric inversion965
 Personality, multiple703
 Pharmacotherapy1111, 1217
 Phobia
 p., one's bodily odors1111
 p., social599, 637
 Physical complication375, 781
 Pica1103
 Polydipsia613, 1209
 Polymorphism619
- Polysomnography761
 Polyuria613
 Postgraduate psychiatric education systems in some developed countries364
 Post stroke patient971
 Presenilin-1 gene619
 Primary separation individuation1053
 Prognostic factors607
 Prolactin645
 Psychiatric care system499
 Psychiatric clinic873
 Psychiatric role1331
 Psychiatry
 p., child479
 p., consultation-liaison431, 1119, 1319, 1325, 1331, 1343
 p., general hospital431
 p., organ transplant1343
 Psychoeducation543
 Psychogenic pain1297
 Psychogenic reaction1119
 Psychogenic vomiting1187
 Psychosis
 p., atypical135, 155
 p., symptomatic987
 Psycho-social stress865
 Psychotherapy service1235
 Public health center1077
 Pulmonary infarction1303
- [Q]**
 Quality of life517
- [R]**
 rCBF271
 Reared apart monozygotic twins815
 Reattribution1069
 Recipient1099
 Regional cerebral blood flow1283
 Regional secure unit315

- Rehabilitation407, 1123
- Rehospitalization1095
- Religious groups1044, 1144
- REM sleep931
- Renal failure853
- Repeaters1077
- Research ethics committee1225
- Residential care1307
- Revision of separation individual-
tion1053
- Risk factors1193
- Risperidone427, 773, 777, 994
- [S]
- SANS263
- Scale
- s., brief psychiatric rating
 (BPRS)1087
- s., Manchester191
- s., multidimensional observation
 for elderly subjects(MOSES)
 971
- s., rating8
- s., revised version of Hase-
 gawa's dementia(HDS-R)959
- s., self-rating717
- s., self-rating depression(SDS)
 525
- s., sensation seeking(SSS)525
- s., Yale-Brown obsessive com-
 pulsive(Y-BOCS)547
- Schizophrenia
-8, 37, 77, 141, 155, 167, 191, 263,
 271, 321, 381, 407, 543, 692, 729,
 737, 769, 773, 815, 945, 951, 1087,
 1095, 1217
- s., chronic1201
- s., mild31
- Schizophrenic outpatient653
- School mental health479
- Seizure, psychic645
- Selective serotonin reuptake in-
 hibitor(SSRI)1123
- Self-empowerment865
- Self-inflicted eye injury395
- Self-report1269
- Senile dementia of the Alzheimer
 type959
- Serotonin427, 1123
- Serotonin-dopamine antagonist
 692
- Serum calcium level197
- Side effects692, 717
- Signal detection theory263
- Social skills training543
- Sociocultural839
- Special hospital315
- SPECT
-155, 209, 401, 745, 916, 1001,
 1275,
 1283, 1303
- Staff-patient939
- State
- s., depressive767
- s., obsessive183
- Status
- s., marital1155
- s., occupational1155
- Steroids991
- Study
- s., family945
- s., prospective23, 717
- Subarachnoidal hemorrhage983
- Suicide427, 1205
- Superior temporal gyrus737
- Symptoms
- s., atypical psychotic1303
- s., basic729
- s., drug induced psychiatric
 991
- s., extrapyramidal653
- s., first rank381
- s., negative191, 951, 994
- s., positive191, 951
- s., psychotic37
- s., self-stimulated1171
- s., subjective729
- s., withdrawal916
- Syndrome
- s., antiphospholipid antibody
 1303
- s., Charles Bonnet209, 1163
- s., conotruncal anomaly face
 (CAFS)167
- s., delayed sleep phase539
- s., DiGeorge167
- s., extrapyramidal415
- s., frontal lobe1001
- s., Klinefelter's965
- s., Klüver-Bucy1103
- s., neuroleptic malignant
 653, 997, 1115, 1179
- s., ocular Munchausen's395
- s., parietal lobe923
- s., position of disuse979
- s., psychiatric Munchausen's
 1171
- s., restless legs847
- s., serotonin289
- s., transient723
- s., velo-cardio-facial(VCFS)
 167
- [T]
- Taijinkyofusho(TKS)493
- Test
- t., continuous performance.....263
- t., mini-mental state997
- t., neuropsychological1275
- Thalamic hemorrhage1107
- Thalamic nuclear groups1107
- Therapeutic serum level201
- Therapy
- t., antibiotic1001
- t., cognitive1069
- t., cognitive behavioral781
- t., electroconvulsive1283
- t., hormonal147
- t., hyperbaric oxygen1275
- t., Morita493, 599
- Thought disorder index(TDI)
 1087

Thought echo381	[U]	Vulnerability1087
Training program364		[W]
Trauma753	Urolithiasis419	Weight gain777
Trazodone289, 853	[V]	White matter279
Treatment321		Word completion623
t., dental507	Video distorted technique247	[X]
t., inpatient781	Violence77	
t., long-term neuroleptic ...1201	Viral infection63	Xe-CT271, 971
Trichotillomania1053	Visual association cortex ...1163	48, XYY965
Truth telling1187	Visual impairment1163	

●解説と付図の2頁仕立てで脳波判読に必須の意味や解釈を学ぶ

脳波判読に関する 101章

新刊


一條貞雄 仙台大学教授・体育学部健康福祉学科
高橋系一 順天堂大学講師・医学部小児科

脳波判読に必須のキーワードを101選び、どの項目も解説と付図の2頁仕立てで読み切りの形で完全に理解できるようにまとめたモダンなテキスト。脳のCTやMRIの時代でも脳波検査の重要性はますます高まっており、その所見の意味や解釈を容易に学べることを企図した構成であり、さらに専門性を高めるには厳選された文献が案内してくれる。

●B5 頁224 図202 写真13 表12 1998

定価(本体4,500円+税) ¥400

[ISBN4-260-11827-7]



医学書院

〒113-8719 東京都文京区本郷5-24-3 (販売部) TEL 03-3817-5657 FAX 03-3815-7804
E-mail issd@ba2.so-net.or.jp/http://www.igaku-shoin.co.jp/ 振替 00170-9-96693