

KEY WORDS INDEX (Vol. 41 No. 1~No. 12, 1999)

(本 index は一部選択編集しています。)

[A]

Abstinence1155
 Abulia513
 Abuse
 a., alcohol153
 a., child487, 495
 a., drug1097
 a., physical165
 a., polydrug361
 a., sexual165
 Accidental hypothermia975
 Acidosis, metabolic879
 Acute psychotic episode661
 Acute renal failure177
 Acyclovir735
 Admission
 a., compulsory105, 529
 a., emergency105
 a. for medical care and custody
 105
 Aggression139
 Aging589
 Aging societies1144
 AIDS312
 AIMS991
 Akinesia703
 Alcoholism831
 Alprazolam433
 Alternative pathway of comple-
 ment1109
 Amnesia49, 755
 a., post-delirium367
 a., retrograde29
 Analysis
 a., factor69
 a., logistic regression275
 Anorexia nervosa501, 847, 1335

Anticipatory nausea & vomiting
 433
 Antidepressant947
 Antithrombin agent97
 Antituberculosis drug193
 Aphasia, gogi35
 Argatroban97
 Arterio-coronary bypass85
 Atrophy505
 a., alcoholic cerebellar519
 Autism
 a., atypical1043
 a., high-functioning255
 Autopsy983, 1061
 Awakening1339

[B]

Basal ganglia513, 871
 Benzodiazepine975, 1217
 Bereavement651
 Bidimensional positive-negative
 model635
 BPRS991
 Brain atrophy275, 727
 Brain injury159
 Bulimia nervosa165, 847, 1331

[C]

Cadaveric dural graft1113
 Cancer682, 995
 Cannabis1097
 Cathartic effect1191
 Centenary283
 Childhood onset1093
 Child guidance center1297
 Child mental clinic1291
 Chlordiazepoxide1217
 Chronic hepatitis type C1087

Chronic pain293
 Clomipramine751, 1101
 Clozapine579
 Cognitive function1339
 Colored tree drawing405, 469
 Community mental health529
 Comorbidity397, 421, 743, 855
 Compulsive water drinking263
 Consultation437
 Convulsion1205
 Corticobasal degeneration1343
 Counseling312
 Criminal responsibility1030
 Criteria570
 c., treatability883
 Cross-modal priming255
 CYP 2 D 6*10697
 Cytochrome P 450 II D 6697

[D]

Defense mechanism429
 Delirium159, 193
 d., antidepressants induced 871
 d., protracted alcohol with-
 drawal665
 Delivery477
 Delusion983
 Dementia
 23, 147, 275, 505, 831, 1051, 1221
 d., frontotemporal
 234, 413, 1343
 d., non-Alzheimer degenerative
 234
 d. of Alzheimer's type69
 d., primary degenerative69
 d., reversible875
 d., semantic35
 d., vascular1233

- d. with grains234
 d. with Lewy bodies234
 d. with neurofibrillary tangles
234
 Dependency, methylphenidate
361
 Depression ...23, 367, 397, 413, 487
 ...861, 871, 1179, 1217, 1229, 1233
 d., delusional93
 d., refractory1233
 d., senile607
 d., treatment resistant595
 Deprivation, sensory159
 Diagnosis, DNA181
 Dialysis1209
 Difficult patients619, 625
 Disease
 d., Alzheimer97, 1101
 d., Creutzfeldt-Jakob1113
 d., Crohn437
 d., Cushing'417
 d., familial Alzheimer's ...1061
 d., Marchiafava-Bignami ...975
 d., sporadic Huntington's ...181
 Disorder
 d., acute psychiatric139
 d., amnesic831
 d., anxiety855
 d., autistic1311
 d., bipolar727, 739
 d., borderline personality
346, 495
 d., developmental1311
 d., dissociative identity
122, 346
 d., eating
165, 619, 743, 821, 855
 d., hepatic1109
 d., major depressive ...297, 421
 d., memory755
 d., mood601, 739, 1191
 d., multiple personality122
 d., narcissistic personality ...346
 d., obsessive-compulsive
613, 959
 d., panic ...79, 301, 389, 397, 421
 d., personality413, 959
 d., pervasive developmental
1043
 d., posttraumatic stress
460, 1117
 d., psychopathic883
 d., rapid cycling affective ...947
 d., schizotypal personality ...346
 d., seasonal affective57
 d., shared psychotic315
 d., sleep1071
 Dissociation460, 755, 1117
 Disturbance
 d., emotional1303
 d., sleep1229
 Domestic violence460
 Dopamine1205
 Dopaminergic nervous system
269
 Dyskinesia, drug-induced181
 Dystonia, tardive991
 Dystrophy, reflex sympathetic 297
[E]
 Eating Disorder Inventory-91
 (EDI-91)821
 Education, pre-and post-graduate
1011, 1262
 Educational level719, 1185
 Elderly onset421
 Electroconvulsive therapy
 (ECT)871, 1217, 1233
 ECT, modified293, 297, 607
 Electrodermal activity1003
 Electroencephalography ...185, 967
 Emergency medical system ...839
 Emotional deprivation487
 Encephalitis, viral735
 Encephalopathy, Wernicke's
1331
 Environmental factors821
 Epilepsy, temporal lobe657
 Epileptic laughter657
 Event-related potential (ERP)
389, 916
 Excessive daytime sleepiness
153
 Expressed emotion1003
[F]
 Factors, prognostic651
 Family environment1079
 Family meeting1171
 Family violence525, 613
 Family with schizophrenic
 patients1171
 Female high school students
821
 Fenfluramine661
 Flashback747
 Frontal lobe23
 Frontal lobe epilepsy657
 Frontal-subcortical circuits ...513
[G]
 Galvanic skin reflex1003
 Gene57
 Gluesniffing747
 Group dynamics1171
 Guardian197
[H]
 Hallucination747, 983
 Hallucinogens1097
 Heatstroke269
 Herpes simplex encephalitis
185, 309
 Hippocampus505
 Hostage1237
 Human rights315
 Hyperlipidemia147
 Hypertension275
 Hypofrontality413
 Hyponatremia263
 Hypophosphatemia1331
 Hypothalamic hamartoma ...657

- Hypothyroidism947
- [I]**
- Iatrogenesis122
- Identity755
- Illusion of Frégoli1105
- Imipramine1229
- Impairment
- i., cognitive875
- i., intellectual417
- Impulsivity959
- Infarction, thalamic189
- Information processing916
- Injury, cervical spinal cord ...159
- Intellectual function719,1185
- Interferon1087
- Intoxication
- i., thinner879
- i., water263
- Involuntary hospitalization ...839
- Involvement of others751
- Isoniazid193
- [J]**
- Japanese Mental Health Act
-315
- Jarisch-Herxheimer reaction
-1109
- Jaspers K631
- [L]**
- Lafcadio Hearn283
- LASMI381
- Learning
- l., cognitive skill41
- l., errorless49
- l., motor skill41
- l., perceptual skill41
- Legal classification883
- Legal model529
- Leptin501
- Leukoaraiosis147
- Liaison437
- Life
- l. events643
- l. skills381
- Lithium93,947
- Living form719,1185
- Logistic regression model ...1051
- Long-term
- l-t. course373
- l-t. follow-up1163
- l-t. outcome477
- Low Resolution Electromagnetic Tomography (LORETA) ...916
- [M]**
- Magic mushroom1097
- Magnetic resonance imaging (MRI)519,1179
- Magnetoencephalography (MEG)916
- Management, post-operative133
- Mania305
- Marriage477
- MARTA579
- Matricide429
- Medical model529
- Medical psychiatric unit...133,547
- Medication intolerance607
- Medication resistance607
- Memory
- m., autobiographical29
- m., explicit/implicit6
- m., false6
- m., fractionation of6
- m. impairment6,309
- m., procedural41
- m., prospective6
- m., remote29
- m., semantic35
- m., short term17
- m., source6
- m., temporal context6
- m., working23
- Mental health1144,1237
- Mental Health Act 1983883
- Mentally disordered offender625,1030
- Method, envelope1229
- Moderate depressive episode with-out psychotic symptoms85
- MR967
- MRI ...147,275,417,505,665,1051
- Multiple debts643
- Multiple personality755
- Myositis ossificans1225
- [N]**
- N 1, N 2389
- Nemonapride173
- Neuropsychiatric SLE967
- Neurosyphilis185
- Non-herpes simplex virus735
- Normalization197
- Nucleus accumbens513
- Numbing1117
- Nursing care139
- [O]**
- Oneiroides Erlebnis429
- Outcome predictors861
- [P]**
- P 3389
- Pain
- p., existential995
- p., psychic575
- p., spiritual995
- Palliative care682,995
- Pamphlet for psychoeducation811,937
- PANSS381,635,929
- Paranoia1339
- Paraphilia413
- Parkinsonism93
- Paroxysmal perceptual alteration703
- Pathography283
- Pathological grief reaction ...651
- Patient, elderly651,1079

- Pellagra1331
- Perfectionism847
- Perforation of the colon425
- Periodic lateralized epileptiform discharges185
- Personality change189,417
- PET63
- Pharmacy robbery361
- Phobia1117
- Phonological loop17
- Physical complication139,727
- Physical punishment165
- Police officer839
- Polypharmacy1347
- Pop-out phenomenon247
- Prediction of non-response595
- Prediction system1051
- Predictors of resistance79
- Prevention
p., primary811,937
p., secondary811,937
- Primary care1011
- Process, preattentive247
- Processing
p., verbal semantic255
p., visual information247
- Psilocybin1097
- PSQI1071
- Psychiatric emergency service101,537,839
- Psychiatric expert testimony1030
- Psychiatric visiting197,315
- Psychiatry
p., anthropological437
p., child1271,1285,1291
p., child and adolescent205,1262,1277,1303,1325
p., emergency105
p., general hospital537,1011
p., infant1292
p., liaison1271
p., perinatal1317
- Psychodynamic psychotherapy1331
- Psychoeducation811,937
- Psycho-oncology682
- Psychosis437,987
p., INH193
p., methamphetamine625
p., postictal1197
p., prison429
p., substance-induced1087
- Psychosurgery975
- Psychotherapeutic intervention601
- Puberty ward1285
- [Q]**
- Quality of life682,1079
- [R]**
- Regional difference537
- Rehabilitation49,381
- Relaxation867
- “Rendez-vous” of parents1291
- Rhabdomyolysis177,263,879
- Risperidone305,703,929,991,1205,1339
- Role in family719,1185
- [S]**
- Scale, multidimensional perfectionism847
- Schizophrenia
89,133,177,247,305,381,405,425,429,469,477,579,585,589,625,635,743,747,811,916,929,937,975,1003,1093,1105,1225
s., chronic1163,1347
s., paranoid315
s., treatment-resistant570
- Scream1101
- SDA579
- Seclusion139,585
- Seizure, gelastic657
- Self-bankrupt643
- Senile plaques1061
- Serotonin1205
- Serotonin-1 A receptor agonist85
- Serum CPK1221
- Sex chromosome373
- Sexual assault460
- Shinkeishitsu891
- Siblings57
- Side effects425,697
- Small group1171
- Social skills training (SST)89
- Somatic complications547,1209
- SPECT63,417,1197
- Speech loss1043
- State
s., episodic akinetic703
s., hallucinatory-paranoid1093
s., manic1197
s., residual373
- Status
s. epilepticus173
s., marital477
- Steroid875
- sTNF-R I, II501
- Stress79
- Structured intervention867
- Study
s., community-based1071
s., concurrent controlled635
s., prospective1163
s., retrospective79
s., twin802
- Subcortical hyperintensity1179
- Subdural hygroma665
- Sudanophilic leukodystrophy63
- Suicide, attempted1191
- Support for psychiatric treatment197
- Supportive care433
- Symptom
s., negative469
s., prodromal743
s., psychotic643

- s., schizophrenia-like373
 s., withdrawal661
 s., extrapyramidal703
 s., obsessive-compulsive751
 Synchronous course93
 Syndrome
 s., alcohol dependence519
 s., anti-phospholipid987
 s., battered child487
 s., catatonic269
 s., false memory122
 s., frontal lobe63, 513
 s., Klinefelter's373
 s., neuroleptic malignant
 173, 269, 697, 1221, 1225
 s., refeeding1331
 s., serotonin727
 s., Sheehan983
 s., delayed sleep phase153
 Systemic lupus erythematosus
 967, 987
〔T〕
 Taijin-Kyofu891
 Tandospirone citrate85
 Tangles1061
 Temporal lobe505
 Terrorism1237
 Test, baum405
 Therapy
 t., cognitive-behavioral619
 t., family1311
 t., total milieu1303
 Tiapride421
 TNF- α 501
 Topographical disorientation
 309
 Transfer from prison883
 Transportation839
 Traumatic spinal cord injury
 367
 Trazodone727, 1229
 Treatment
 t., day care635
 t., team585
 Treatment-resistance579, 613
 Tube inflation735
 Tuberous sclerosis1197
 Type A behaviour pattern397
〔V〕
 Victimology460
 Violence585, 987
 v. avoidant method525
 Visuospatial sketchpad17
 Vomiting
 v., psychogenic1335
 v., self-induced1335
 Vulnerability269
〔W〕
 White matter lesion147
 Withdrawal1205
 Word completion255
〔その他〕
 48-hour sleep-waking rhythm
 739

MEDICAL BOOK INFORMATION

医学書院

臨床脳波学 第5版

大熊輝雄

●B5 頁736 図537 写真7 表58 1999
 定価(本体18,000円+税) ¥400
 [ISBN4-260-11837-4]

臨床脳波学のバイブル、待望の改訂第5版。第4版発行後8年間の新知見を大幅に追加。技術面では、脳波計のデジタル化に対応し、記述を一新。脳波学では、定量的薬物脳波学、テレビゲーム・アニメの問題、事象関連電位、双極子追跡法、脳磁図などを増補。全体にわたって見直しを行い、最新の文献まで収載。