

CLINICAL ORTHOPAEDIC SURGERY

Vol. 49

No. 8

AUGUST 2014

Editorial Board

Fuminori KANAYA, Shin-ichi KIKUCHI, Masahiro KUROSAKA

Kenji TAKAGISHI, Hiroyuki TSUCHIYA, Yoshiaki TOYAMA

Masatoshi NAITO, Hideki YOSHIKAWA

CONTENTS

Forword *Hiromi ODA* • 673

Original Article

Correlation Patterns and Time-dependent Changes on Upper Extremity Performance Tests (10-second Test and STEF), JOA Score and a Newly Developed Patient-based Outcome Measure (JOACMEQ) in Surgically Treated Cervical Myelopathy Patients. An Analysis of a Prospective Study *Hiroyasu FUJIWARA, et al* • 675

Lecture

ARMD after Total Hip Arthroplasty *Akihiro SUDO* • 685

Clinical Experiences

New Method of Measuring the Acetabular Anteversion Angle on Lateral Radiographs Following Total Hip Arthroplasty *Kazuaki MATSUMOTO, et al* • 709

Use of a Pulse-oximetry-derived Perfusion Index to Assess Hemodynamic Changes in the Leg Following Caudal Epidural Block for Sciatica *Akira ONDA, et al* • 713

Comparison of Preoperative and Postoperative Electrophysiological Assessments of Male and Female Carpal Tunnel Syndrome Patients *Takako KANATANI, et al* • 719

Case Reports

Radiation-induced Chondrosarcoma Arising 26 Years after Radiation Therapy for Rhabdomyosarcoma. Case Report *Toru UDAKA, et al* • 723

Arthroscopic Surgery for Recurrent Anterior Shoulder Dislocation in Elderly Patients with a Large Hill-Sachs Lesion and Rotator Cuff Tear. Report of 2 Cases *Satoru OHTA, et al* • 729

Another Mechanism of Ulnar Nerve Impairment Triggered by Contraction of Anconeus Epitrochlearis Muscle. Case Report *Norihiko NAKATA, et al* • 735

Epiphyseal Separation of the Distal Clavicle and Coracoclavicular Ligament Injury. Case Report *Yuji HATAKEYAMA, et al* • 739

Posterior Correction Surgery for Early-onset Scoliosis with a Vertical Expandable Prosthetic Titanium Rib without Thoracotomy. Report of Two Cases *Masateru KITASHIRO, et al* • 743

Idiopathic Osteonecrosis of the Medial Tibial Plateau. Report of 3 Cases *Katsuhiro TOKUTAKE, et al* • 749