

Key Words Index (From vol. 46 no 1 to vol.46 no.12, 2018)

[Number]

¹²³ I-iomazenil	• 1081
30° endoscope	• 313
3D-model	• 877

[A]

aberrant branch	• 41
accuracy	• 917
acute epidural hematoma	• 227, 405, 823
acute phase	• 763
acute stroke	• 959
acute subdural hematoma	• 823
adult spinal deformity	• 771
afatinib	• 213
anchor bolt	• 917
aneurysm	
a., basilar-superior cerebellar artery	• 1007
a., blister-like	• 207
a., blood blister-like	• 1087
a., cerebral	• 27, 117, 199, 493, 673, 853
a., de novo	• 713
a., dissecting	• 415
a., distal anterior inferior cerebellar	• 673
a., intracranial	• 275
a., intrameatal	• 673
a., ruptured	• 713, 789
a., tiny	• 895
a., unruptured	• 901
a., very small	• 303
angioarchitecture	• 691
anomalous collateral artery	• 235
anterior communicating artery	• 207
anticoagulant therapy	• 663
anti-platelet agent	• 883
antithrombotic drug	• 1127
arteriosclerosis	• 493
arteriovenous fistula	
a., dural	• 325
a., tentorial dural	• 219, 803
arteriovenous shunt	• 1073
artery	
a., anomalous collateral	• 235
a., anterior communicating	• 207
a., distal anterior cerebral	• 895
a., distal middle cerebral	• 415, 493
a., duplicate origin of the anterior cerebral	• 901
a., duplicate origin of the middle cerebral	• 901

a., internal auditory	• 673
a., internal carotid	• 789
a., lingual	• 911
a., twig-like middle cerebral	• 713
a., twig-like networks of anomalous collateral	• 713
a., vertebral	• 599
vertebral artery dissection	• 295
vertebral artery injury	• 663
traumatic vertebral artery dissection	• 133
AspireSR®	• 247
atlanto-axial instability	• 889
atypical	• 523

[B]

balloon kyphoplasty	• 969
basilar-superior cerebellar artery aneurysm	• 1007
BCNU wafers	• 367
Benedikt syndrome	• 1007
bevacizumab	• 107
biodegradable osteosynthetic materials	• 379
blister-like aneurysm	• 207
blood blister-like aneurysm	• 1087
blood-brain barrier opening	• 633
brain abscess	• 401
brain metastasis	• 683, 975
breast cancer	• 615, 683
b., male	• 683
bridging vein	• 707
burr-hole surgery	• 623
burst stimulation	• 535
buttock pain	• 319

[C]

carmustine wafers	• 367
carotid artery dissection	• 53
carotid artery stenosis	• 811
carotid cavernous fistula (CCF)	• 989
carotid duplex sonography (CDS)	• 41
carotid endarterectomy (CEA)	• 41, 811
carpal tunnel syndrome	• 1093
central nervous system (CNS)	• 213
cerebellar hemorrhage	• 95
cerebral aneurysm	• 27, 117, 199, 493, 673, 853
cerebral blood flow	• 391
cerebral infarction	• 415
cerebral venous sinus thrombosis	• 47
cerebrospinal fluid (CSF)	
c. dissemination	• 509

c. leak	• 999	endoscopic carpal tunnel release	• 1093
cervical spinal epidural hematoma	• 883	endoscopic hematoma evacuation	• 95
cervical spine trauma	• 663	endoscopy	• 53
cervical spondylosis	• 463	endovascular therapy	• 663
cervical vertebral fracture	• 133	endovascular treatment	• 911
chemotherapy	• 561	end-to-end anastomosis	• 493
chronic subdural hematoma	• 147, 623	epidermal growth factor receptor-tyrosine kinase inhibitor (EGFR-TKI)	• 213
circumferential minimally invasive surgery	• 771	epidermoid cyst	• 509
coil embolization	• 303, 599, 989	epilepsy	• 163, 339, 657
complex regional pain syndrome	• 1093	e. surgery	• 67
complication	• 379, 1093	e., focal	• 67
computational fluid dynamics	• 199	epileptic focus	• 67
constipation	• 385	epistaxis	• 789
continuous electrical stimulation	• 593	epithelioid hemangioendothelioma	• 35
convulsion	• 35	ESHAP	• 575
cortico-cortical evoked potential	• 163	essential tremor	• 633
cranial nerve	• 865	extracranial	• 699
cranioplasty	• 379	extradural	• 523
craniosynostosis	• 877	extraforaminal schwannoma	• 5
CSF dissemination	• 509		
CT cavity sign	• 969	[F]	
[D]		facial nerve	• 593
dabigatran	• 983	fall	• 1065
de novo aneurysm	• 713	feeding system	• 691
decompressive craniectomy	• 227	focal epilepsy	• 67
deep brain stimulation	• 435, 727, 751, 1007	focused ultrasound	• 633
dehydration	• 47	follow-up imaging	• 583
dementia-like symptoms	• 803	functional neurosurgery	• 633
dentures	• 911	<i>Fusobacterium</i>	• 401
depression	• 727		
deterioration	• 1127	[G]	
diagnosis	• 295	gamma knife radiosurgery	• 615
diasthesis	• 1081	gardening scissors	• 999
diffuse astrocytoma with pilomyxoid features	• 1073	gelatin sponge	• 593
direct carotid puncture	• 797	geriatric traumatic brain injury	• 1127
direct current shift (DC shift)	• 339	giant pituitary adenoma	• 691
direct oral anticoagulant	• 959	glia	• 339
direct puncture	• 599	Gliadel®	• 367
dissecting aneurysm	• 415	glioblastoma	• 367, 561
dissemination	• 185	glioma	• 515
distal anterior cerebral artery	• 895	globus pallidus	• 435
distal anterior inferior cerebellar aneurysm	• 673	GMeM decompression	• 319
distal middle cerebral artery	• 415, 493	GMeM syndrome	• 319
duplicate origin of the anterior cerebral artery	• 901	granuloma	• 423
duplicate origin of the middle cerebral artery	• 901	Graves' disease	• 501
dural arteriovenous fistula	• 325		
d., tentorial	• 219, 803	[H]	
[E]		headache	• 295
Eagle syndrome	• 53	head injury	• 1065
EC-IC bypass	• 27	Heifetz clip	• 853
EEG-fMRI	• 67	hematoma	
electric stimulation	• 163	h. clearance	• 763
electroencephalogram /electroencephalography (EEG)	• 657	h., acute epidural	• 227, 405, 823
e. -fMRI	• 67	h., acute subdural	• 823
e., stereotactic / (SEEG)	• 917	h., cervical spinal epidural	• 883
e., wide-band / (wide-band EEG)	• 339	h., chronic subdural	• 147, 623
elongated styloid process	• 53	h., recurrent epidural	• 405
emergency department	• 931	h., resolution of epidural	• 405
		h., subdural	• 983, 1081

h., traumatic intracranial	• 823		
endoscopic hematoma evacuation	• 95		
hemifacial dysesthesia	• 783		
hemodynamic stress	• 275		
hemorrhage			
h., cerebellar	• 95		
h., intracerebral	• 235, 763		
h., intratumoral	• 975, 1073		
h., intraventricular	• 95		
h., putaminal	• 95		
h., subarachnoid			
	• 27, 117, 207, 583, 673, 895, 1007, 1087		
high frequency oscillation (HFO)	• 163, 339		
Hounsfield Unit	• 1013		
hydrocephalus	• 385		
hyoid bone	• 811		
hyperperfusion	• 123, 391, 501		
hypertrophic pachymeningitis	• 147, 1103		
hypoperfusion	• 391		
[I]			
ictal tachycardia	• 247		
idarucizumab	• 983		
IgG4	• 1103		
i.-related disease	• 1103		
indocyanine green video angiography	• 803		
infant	• 27		
infection	• 401		
inflammation	• 275		
initial treatment	• 931		
insular cortex	• 21		
internal auditory artery	• 673		
internal carotid artery	• 789		
i. dysgenesis	• 235		
interruption of the draining vein	• 803		
intracerebral hemorrhage	• 235, 763		
intracranial aneurysm	• 275		
intracranial pressure	• 1027		
intractable pain	• 535		
intradural pseudoaneurysm	• 989		
intrameatal aneurysm	• 673		
intraosseous	• 523		
intratumoral hemorrhage	• 975, 1073		
intraventricular hemorrhage	• 95		
ischemic infarction	• 21		
[K]			
Kampo medicine	• 763		
Keishi-Bukuryo-Gan	• 763		
[L]			
ladder	• 1065		
leg pain	• 471		
leptomeningeal anastomosis	• 27		
lingual artery	• 911		
low back pain	• 319, 471		
low dose chemotherapy	• 107		
low-energy trauma	• 1127		
low grade glioma	• 1073		
Low-profile Visualized Intraluminal Support (LVIS) stent			
	• 989		
[M]			
M1 hypoplasia	• 713		
macrophage	• 275		
magnetic resonance imaging (MRI)	• 11, 615, 865		
EEG-fMRI	• 67		
magnetic resonance vessel wall imaging (MR-VWI)	• 1087		
male	• 683		
m. breast cancer	• 683		
malignant transformation	• 509		
Mayfield clip	• 853		
melanocytic tumor	• 139		
meningeal melanoma	• 139		
meningioma	• 523		
m., radiation-induced	• 515		
m., tuberculum sellae	• 607		
metastasis	• 213, 699		
m., brain	• 683, 975		
m., orbital	• 615		
m., skull-base	• 865		
metastatic brain tumor	• 107, 185		
meteorological condition	• 481		
microscopic polyangiitis	• 117		
microvascular anatomy	• 219		
middle cerebral artery			
m., distal	• 415, 493		
m., duplicate origin of the	• 901		
m., twig-like	• 713		
mirror image	• 895		
monitoring	• 593		
m., neuro-	• 1027		
moyamoya disease	• 123, 391		
m., quasi-	• 501		
mucocoele	• 1013		
multi-layered flap	• 999		
[N]			
neck clipping	• 1007		
neck pain	• 295		
negative cerebral angiography	• 583		
neurocritical care	• 1027		
neurogenic pulmonary edema	• 21		
neuromonitoring	• 1027		
neurosurgery	• 319		
neurosyphilis	• 423		
neutralizing	• 1127		
nevus of Ota	• 139		
non-convulsive seizure	• 1081		
non-small cell lung cancer (NSCLC)	• 213		
non (-) valvular atrial fibrillation	• 959, 983		
[O]			
oblique lumbar interbody fusion	• 771		
obsessive-compulsive disorder	• 727		
occipital sinus	• 707		
ocular symptom	• 219		
older people	• 1065		
oligodendroglioma	• 699		
onion-skin pattern	• 783		

Onodi cell	• 789	rapid recanalization	• 47
operative time interval	• 883	Rathke's cleft cyst	• 313
orbital apex syndrome	• 1013	recanalization	• 959
orbital metastases	• 615	r., rapid	• 47
osteoporotic compression fracture	• 969	recurred epidural hematoma	• 405
outcome	• 367	recurrence	• 185, 683
[P]		removal	• 691
papillary thyroid carcinoma	• 975	reperfusion injury	• 21
para-lumbar spine disease	• 471	resection	• 185
Parkinson disease	• 435, 633	resolution of epidural hematoma	• 405
PAV	• 699	response rate	• 575
PCNSL	• 575	responsive direct neurostimulation	• 247
pediatric neurosurgery	• 379	retro-odontoid pseudotumor	• 889
penetrating brain injury	• 999	RNS System	• 247
percutaneous pedicle screw	• 771	ruptured aneurysm	• 713, 789
percutaneous transluminal angioplasty	• 133	[S]	
percutaneous transluminal sinus stenting	• 325	safety	• 959
peripheral nerve neuropathy	• 471	sagittal view of T1WI with Gd-DTPA	• 313
phase III study	• 561	SAH of unknown origin	• 583
pituitary adenoma	• 1013	Sandwich stump sign	• 41
p., giant	• 691	seizure	• 657
p., thyroid-stimulating hormone (TSH)-secreting	• 1053	s. detection	• 247
posterior decompression	• 889	s., non-convulsive	• 1081
posterior fossa tumor	• 707	shunt malfunction	• 385
postoperative neurological deficit	• 391	sigmoid sinus stenosis	• 325
postpartum visual improvement	• 607	single-photon emission computed tomography	• 1081
post-traumatic cerebral infarction	• 227	sinus stenosis	• 147
pregnancy	• 607	s., sigmoid	• 325
prehospital care	• 931	skull angle	• 917
preoperative medical treatment	• 1053	skull-base metastasis	• 865
preservation of pituitary function	• 313	small craniotomy	• 623
pressure	• 199	small fenestration of sellar floor	• 313
primary	• 523	somatostatin analog	• 1053
p. brain tumor	• 35	spinal cord stimulation	• 535
primitive plexiform (twig-like) arterial networks	• 235	spinal dumbbell type tumor	• 423
procedure-related complication	• 303	spinal intramedullary tumor	• 463
progesterone receptor	• 607	spinal trigeminal nucleus	• 783
prognosis	• 367, 975	spinal vascular lesion	• 463
<i>Propionibacterium acnes</i>	• 623	spontaneous healing	• 207
proximal M1 fenestration	• 901	squamous cell carcinoma	• 509
pseudoaneurysm	• 911	status epilepticus	• 657
p., intradural	• 989	stent placement	• 133
pseudoarthrosis	• 969	stepwise correction with a rod cantilever technique	• 771
pseudotumor		stereotactic electroencephalography (SEEG)	• 917
p., retro-odontoid	• 889	stroke	• 481, 663
psychiatric disorder	• 727	s. onset	• 481
putaminal hemorrhage	• 95	s., acute	• 959
[Q]		subacute	• 983
quasi-moyamoya disease	• 501	subarachnoid hemorrhage (SAH)	• 27, 117, 207, 583, 673, 895, 1007, 1087
[R]		s. of unknown origin	• 583
radiation	• 865	subdural empyema	• 623
r. therapy	• 185	subdural hematoma	• 983, 1081
r.-induced meningioma	• 515	s., acute	• 823
radioiodine therapy	• 975	s., chronic	• 147, 623
radiological diagnosis	• 11	subnucleus caudalis	• 783
radiotherapy	• 561	subthalamic nucleus	• 435
randomized controlled trial	• 1027	Sugita clip	• 853
		supraclinoid internal carotid artery fenestration	• 901

surgical accuracy	751	wrapping	207
surgical anatomy	95	[Y]	
surgical intervention	823	Yasargil clip	853
surgical resection	53		
surgical strategy	691		
syndrome of inappropriate secretion of thyroid-stimulating hormone (SITSH)	1053		
syndrome of the trephined	227		
[T]			
takotsubo cardiomyopathy	21		
targeting error	751		
tarsal tunnel syndrome	11		
temozolomide	699		
tentorial dural arteriovenous fistula	219, 803		
terminal (C1) segment	235		
thrombectomy	797		
thyroid-stimulating hormone (TSH)-secreting pituitary adenoma	1053		
TIA-like event	47		
timing	969		
tiny aneurysm	895		
transsphenoidal surgery	1053		
traumatic brain injury	823, 931, 1027		
traumatic intracranial hematoma	823		
traumatic vertebral artery dissection	133		
treatment	657, 975		
tuberculum sellae meningioma	607		
tumor			
t., melanocytic	139		
t., metastatic brain	107, 185		
t., posterior fossa	707		
t., primary brain	35		
t., spinal dumbbell type	423		
t., spinal intramedullary	463		
twig-like middle cerebral artery	713		
twig-like networks of anomalous collateral artery	713		
[U]			
ultra-elderly	889		
unruptured aneurysm	901		
[V]			
vascular disorders	583		
vascular structures	877		
venous congestion	147		
venous flow congestion	325		
ventriculoperitoneal shunt	385		
vertebral artery	599		
v. dissection	295		
v. dissection, traumatic	133		
v. injury	663		
very small aneurysm	303		
vestibular schwannoma	593		
[W]			
wall shear stress	199		
watershed shift	123		
wide-band electroencephalogram (wide-band EEG)	339		
Wiltse parasagittal approach	5		