

rinsho derma (Tokyo)

Editors : T. Tsuchida, MD, A. Igarashi, MD, Y. Soma, MD, N. Hayashi, MD, H. Saeki, MD

Vol. 67 No. 11

CONTENTS

October 2025

ORIGINAL ARTICLES

- | | | |
|------|---|----------------------------|
| 1361 | Anaphylaxis caused by cashew nuts in basil sauce—Unraveling the mystery of allergic reaction occurring after the intake of basil sauce— | S. Harada <i>et al.</i> |
| 1365 | Anaphylaxis due to pine nuts in pasta genovese | R. Saito <i>et al.</i> |
| 1369 | Anaphylaxis after ingesting soy protein with a positive prick test for fish collagen contained in soy protein | H. Morita <i>et al.</i> |
| 1373 | Anaphylaxis due to milk proteins contained in a milk protein beverage occurring in a patient who can consume commercialized milk on a daily basis | S. Harada <i>et al.</i> |
| 1377 | Oral mite anaphylaxis (pancake syndrome) | M. Matsumoto <i>et al.</i> |
| 1380 | NSAIDs intolerance diagnosed from lip edema after mint ingestion | T. Endo <i>et al.</i> |
| 1383 | Anaphylaxis occurring after prairie dog bite | S. Harada <i>et al.</i> |
| 1387 | Anaphylaxis caused by lidocaine tape showing a positive open scratch patch test | R. Koyano <i>et al.</i> |
| 1391 | Anaphylaxis caused by sulfamethoxazole-containing eye drops | S. Santo <i>et al.</i> |
| 1395 | Anaphylactic shock due to cefmetazole | M. Yamamoto <i>et al.</i> |
| 1399 | Type I hypersensitivity reaction to Ringer lactate solution containing 5% maltose | M. Tanaka <i>et al.</i> |

CASE REPORTS

- | | | |
|------|---|----------------------------|
| 1407 | Atopic dermatitis complicated by cataract, retinal detachment and glaucoma | N. Shimomura <i>et al.</i> |
| 1411 | Eosinophilic granulomatosis with polyangiitis with right foot drop | K. Ueda <i>et al.</i> |
| 1415 | Skin avulsion wound of the left nasal ala reattached only by suture | S. Asai <i>et al.</i> |
| 1419 | HLA-B27-positive psoriatic arthritis diagnosed from erythema localized to the glans | K. Soda <i>et al.</i> |
| 1423 | VEXAS syndrome manifesting as relapsing polychondritis and cutaneous vasculitis | S. Suzuki <i>et al.</i> |
| 1427 | Verruciform xanthoma on the scrotum and groin | A. Nakazawa <i>et al.</i> |
| 1431 | Idiopathic localized involutional lipoatrophy on the right thigh | M. Kakurai <i>et al.</i> |
| 1435 | Multiple nodular-cystic fat necrosis with intra-abdominal, pelvic, and intramuscular lesions | J. Nishio <i>et al.</i> |
| 1439 | Trichofolliculoma at the helix | K. Yoshidome <i>et al.</i> |
| 1443 | Seborrheic keratosis having an area showing differentiation into the sweat gland system | R. Nakamura <i>et al.</i> |
| 1447 | Pseudopseudohypoparathyroidism with multiple osteomas in the abdomen and lower extremities diagnosed with <i>GNAS</i> gene mutation | T. Taniguchi <i>et al.</i> |
| 1451 | Multiple myeloma with skin metastasis on the lower limb | H. Morita <i>et al.</i> |
| 1455 | Primary cutaneous diffuse large B-cell lymphoma with a nodule on the left earlobe as the initial presentation | R. Koyano <i>et al.</i> |
| 1459 | Meningothelial hamartoma of the scalp | M. Nakatsuka <i>et al.</i> |
| 1463 | External dental fistula due to medication-related osteonecrosis of the jaw which has been suspected of parotid carcinoma | J. Yamamoto <i>et al.</i> |

MINI REPORT

- | | | |
|------|---|----------------------------|
| 1470 | Erythema nodosum appearing after COVID-19 | S. Katsuki <i>et al.</i> |
| 1472 | Extensive pseudoxanthoma elasticum-like papillary dermal elastolysis of the trunk and upper extremities | C. Matsumoto <i>et al.</i> |
| 1474 | Solitary circumscribed neuroma on the neck | M. Maeda <i>et al.</i> |

Published Monthly by KANEHARA SHUPPAN Co., Ltd.
Annual Subscription Price : ¥50,160 (Postal charges not included)