

臨床透析 ●Key word 索引

第34巻

Vol.34 No.1~No.13

(2018年1月号~12月号)

和 文

1秒率 764
「2025年問題」 1409, 1459

あ

アクセス管理 689
アドヒアランス 734, 1131
アルブミン 465, 619
アロマセラピー 451
悪性腫瘍 21, 37, 71

い

イコデキストリン 1547, 1555
インターフェロン 655
インフルエンザ 573, 611, 1435
季節性——流行 611
胃癌 1258
息切れ 764
移行（小児から成人への） 1077,
1119, 1125, 1131, 1149
——期看護外来 1103
——支援プログラム 289, 1077,
1103
胃酸 767
意識障害 1155
意思決定支援 283, 1467
移植後透析再導入 295
移植腎喪失 295
移植腎動脈狭窄症 311
異所性石灰化 850
医療・介護関連肺炎 595
医療関連感染症 553
医療機器安全管理責任者 413
医療経済 1573
医療サマリー 1103
医療費 1401
医療保険制度 1359
咽後膿瘍 1161
院内感染 611, 928
院内感染防止対策加算 553
院内肺炎／介護関連肺炎 901

う

うつ
——病 804
抑—— 999
運動 884
——習慣 499
——処方 499
——神経障害 818

——療法 137, 161, 169, 889,
1425
低強度—— 999
有酸素—— 63, 485
レジスタンス—— 63, 485

え

エコーガイド下内頸静脈直接穿刺
1587
エネルギー 1279
エルゴタミン 111
エンド・オブ・ライフケア→「end
of life care」を見よ
エンドトキシン 389
——吸着療法 327
——捕捉フィルタ 401
栄養 884
——管理 203, 1359
——指導 1287, 1327
——評価 465
——療法 889, 1097, 1239
経腸—— 63
必要——量 479
嚥下障害 791
炎症 465
全身—— 63
塩分
——コントロール 717
——制限 734
——摂取 697, 738

お

オーバーナイト透析 944
オビオイド 1245
黄色ブドウ球菌 567
バンコマイシン耐性—— 637
メチシリン耐性—— 637
音楽療法 1015
温泉 1035

か

ガイドライン
国際腹膜透析学会—— 709,
1535
人生の最終段階における医療・ケ
アの決定プロセスに関する——
1199
透析施設における標準的な透析操
作と感染予防に関する——

928, 932
カスタマー・ジャーニー 441
カテーテル 619, 1535
——感染 705
ガバペンチンエナカルビル 821
カプラ 401
カルシウム受容体作動薬 846
介護 1401
——サービス 1345
——度 215
——保険制度 1359
家族—— 1311
外食 1319
回復期リハビリテーション病棟
209
化学的汚染基準 359
化学的汚染物質 351, 375, 381
化学療法 1258
過酢酸製剤 407
下肢筋硬直 826
画像診断 27
家族介護 1311
家族ケア 1251
下大静脈腫瘍塞栓 1266
学校給食 1327
活性型ビタミンD製剤 846
下部尿路感染症 427
がん 89, 1245
——死亡率 13
——進行度 79
——診断 27
——治療法 79
——罹患率 13
胃—— 1258
抗——剤 317, 909
転移性腎—— 228
乳頭状腎—— 1266
末期—— 914
間歇性跛行 175
看護 71, 267, 511
訪問—— 1451
肝硬変 776, 1056
患者
——移送 1477, 1483
——教育 169, 685
——中心医療 517
——の思い 897
関節石灰化 850
感染

—管理 701
 —経路 587
 —対策 579, 587, 605
 院内— 611, 928
 カテーテル— 705
 透析関連— 579
 嚢胞— 1047
 パスキュラーアクセス— 573
 感染症 7
 潜在性結核— 645
 尿路— 427, 1149
 感染予防 932
 経路別—策 561, 928
 接触—策 631
 透析施設における標準的な透析操作と—に関するガイドライン 928
 緩和ケア 89, 914, 1245
 —プログラム 1193

き

キュー 241, 267, 918
 季節性インフルエンザ流行 611
 救急医療 1193
 給水訓練 1477
 急性期リハビリテーション 151
 急性腎障害 (AKI) 111, 1137, 1143
 急性石灰沈着性頸長筋腱炎 1161
 急性腹症 117, 422
 共同意思決定 1187
 虚血性腸炎 779
 拒絶 295
 起立性低血圧 738
 禁煙補助薬 764
 緊急離脱 924
 筋筋膜性疼痛 273

く

クエン酸第二鉄水和物錠 1165
 グリーフケア 1251
 グリコアルブミン (GA) 872
 クレブシエラ肺炎 327

け

ケア 241, 267, 918
 家族— 1251
 緩和— 89, 914, 1245
 口腔— 185, 884, 1435
 出口部— 1535
 フット— 175
 ケアマネジャー 1345
 計画導入 685
 経腸栄養 63
 頸長筋 1161
 軽度認知障害 451, 884, 1443
 経皮的血管形成術 311
 経皮内視鏡的胃瘻造設術 1239
 頸部痛 1161
 経路別感染予防策 561
 血液透析→「hemodialysis ; HD」を見よ

血液媒介病原体 561
 結核 573, 645
 血管性パーキンソニズム 800
 血管石灰化 759
 血管内治療 759, 787
 血漿交換 665
 血漿浸透圧 826
 血栓性血小板減少性紫斑病 665
 血栓溶解療法 787
 血糖コントロール 872
 限外濾過 728
 減薬手順 897

こ

降圧療法 787
 広域災害 1487
 広域搬送 1477
 高カリウム 924
 —血症 868
 抗がん剤 317, 909
 —の用量調節 51
 後期高齢者 1391
 抗菌薬 1535
 —治療 709
 口腔ケア 185, 884, 1435
 口腔保清 471
 口腔リハビリテーション 185
 高血圧 734
 好酸球 1555
 高山病 1023
 甲状腺機能低下症 795
 向精神薬 809
 後天性嚢胞腎 905
 抗パーキンソン病薬 800
 抗不整脈薬 755
 絞扼性神経障害 818
 高リン血症 842
 高齢化 1401
 —社会 1521
 高齢者 1187, 1311, 1565
 —医療・介護 1459
 —の特性 897
 後期— 1391
 高齢社会 595
 超— 1221
 高齢透析患者 203, 1221, 1231, 1293
 —の運動 985
 抗レトロウイルス療法 (ART) 932
 誤嚥性肺炎 901
 顧客生涯価値 441
 呼吸器リハビリテーション 169, 764
 国際腹膜透析学会ガイドライン 709, 1535
 孤食 471
 個人防護具 561
 骨折 491, 791
 —予防 145
 大腿骨近位部— 145
 骨粗鬆症 854
 骨転移 43

さ

サーベイランス 579
 サテライト 605
 サニテーション 567
 サルコペニア 203, 485, 881, 1579
 サンプリングポート 401
 災害 1493
 —時透析 924
 —対策 1493, 1587
 —ハザードマップ 1501
 災害情報ネットワーク 1483
 細菌性腸炎 1056
 剤形 1060
 座位行動 999
 最大除水速度 697
 在宅医療 1221, 1231, 1451
 在宅血液透析 944, 947, 1459
 在宅透析 1521
 在宅 Dr. ネット 215
 左室拡張機能障害 742
 左心不全 742
 残存腎機能 713, 717, 720
 酸分泌抑制薬 767

し

死因 619
 自家移植 1597
 自己決定 1179
 時差症候群 1023
 支持的精神療法 809
 歯周病 770
 —原因菌 770
 思春期 1131
 思春期・若年成人 941, 1077
 事前指示 (書) 1417, 1187, 1207, 1215
 持続性低血圧 422
 自尊感情 1085
 疾病管理 161
 死別 1251
 周期性四肢運動障害 813
 重症下肢虚血 175, 759
 集中治療 1193
 終末期 71, 283, 1207
 —医療 914, 1417
 手根管症候群 859
 手指衛生 561
 手術 37
 開腹— 117
 外科— 918
 腹腔鏡下— 1529
 樹状細胞 567
 腫瘍マーカー 27
 循環血液量 826
 昇圧薬 738
 消化管出血 783
 常時低血圧 738
 小児 937, 1091, 1097, 1111, 1119, 1125, 1327
 情報収集 921

情報伝達 924
情報発信能力 1483
食事摂取基準 881, 1097
食事摂取量の低下 63
食事療法 842, 872, 1311, 1319
除水モード 697
自立 289
——支援 193
自律神経障害 818
腎移植 728, 1131
腎癌
転移性—— 228
乳頭状—— 1266
心筋酸素需給 747
心血管疾患 295, 877
人工股関節全置換術 893
人工膝関節全置換術 893
人工的水分・栄養補給法 1239
心雑音 752
浸水 1501
新生児 1137
腎生着率 1131
人生の最終段階 215
——における医療・ケア 1199
——における医療・ケアの決定プロセスに関するガイドライン 1199
腎性貧血 833, 838
心臓リハビリテーション 161
腎臓リハビリテーション 137, 985, 1007, 1425
身体活動 999
身体機能 459
腎代替療法 720, 1111, 1143, 1529
浸透圧性脱髄症候群 (ODS) 1155
心肺蘇生 1193
心不全 7, 121, 924
心理社会的健康 1085
心理的ケア 89

す

スポーツ 1007
水質確保加算 413
水質基準 375
水質検査 367
水道法 375
水分コントロール 717
睡眠時無呼吸症候群 813
睡眠障害 813
水溶性ビタミン 1279

せ

セミクリティカル 407
セラチア 631
セルフケア 261, 289, 941
——能力 717
生活環境 1287
成人移行支援プログラム 289
精神疾患 99, 809
生体適合性 728
成長障害 937, 1091

成長発達 289
成長ホルモン療法 1091
生物学的汚染 343, 367
——基準 359
生命予後 893, 947
生理食塩水 826
石灰化 1161
異所性—— 850
関節—— 850
血管—— 759
接触感染予防策 631
潜在性結核感染症 645
全身炎症 63
全人の医療 517, 914
選択的エストロゲン受容体モジュレーター 491
先天性腎尿路異常 1149
せん妄 99
専門看護師 249
前立腺膿瘍 427

そ

早期離床 151
造血阻害 838
総残留塩素 381
巣状分節性糸球体硬化症 1258
僧帽弁閉鎖不全 752
掻痒感 829
足関節上腕血圧比 175, 759

た

ターミナルケア 1409
体液過剰 742
体液コントロール不足 724
代謝・排泄経路 51
体重増加 734
耐性菌 553
大腿骨近位部骨折 145
大動脈弁狭窄症 752
宅配食 1319, 1353
多剤耐性アシネトバクター 631
多剤耐性緑膿菌 631
多剤服用 1060
多職種介入 209
多職種連携 897
多人数用透析液供給システム 395
「団塊世代」 1391
炭酸ガス造影 311
単独世帯 1319
胆嚢炎 117
たんぱく (質) 471, 1279, 1579
低——食 881

ち

チーム医療 193, 877
チーム看取り 1221
地域医療連携 1587
地域完結型医療 215
地域包括ケア 1391, 1409
地域連携 1451
知覚神経障害 818
中性透析液 1547

長期透析 951, 1266
長期予後 1143
長時間作用型赤血球造血刺激因子 (ESA) 製剤 833
長時間透析 944, 947
直接型抗ウイルス薬 655
治療用特殊食品 479

て

デノスマブ 491, 854
テムシロリムス 228
テリパラチド 491
デンタルブラーク 770
低栄養 203, 889
低強度運動 999
低血圧
起立性—— 738
持続性—— 422
常時—— 738
低血糖 872
低たんぱく食 881
低ナトリウム血症 1155
低分子量蛋白 693
適応型陽圧換気 (ASV) 121
適正透析 713
出口部
——感染 705
——管理 701
——ケア 1535
鉄含有リン吸着薬 1165
鉄欠乏 838
鉄補充療法 833
転移性腎癌 228
転科 1077
電気伝導率 381
転倒 791

と

ドライウエイト 734, 738
ドライスキン 829
ドレッシングフィルム 1535
ドレナージ 427
透析
オーバーナイト—— 944
災害時—— 924
在宅—— 1521
在宅血液—— 944, 947, 1459
長期—— 951, 1266
適正—— 713
頻回—— 944
透析アミロイドーシス 273, 859, 863
透析液
——供給ライン 395
——交換デバイスシステム 1541
——水質基準 343, 351
——清浄化 367, 389, 401
——の品質管理 395
中性—— 1547
透析監視装置 1501
透析患者 37, 71, 283, 324, 511, 595, 645, 779, 1215

—数 1401
 —における終末期 1207
 —のメンタルケア 985
 —の余暇・趣味 985
 入院—— 1060
 透析関連感染 579
 透析機器安全管理委員 413
 透析効率 842
 透析困難症 223
 透析施設における標準的な透析操作
 と感染予防に関するガイドライン
 928
 透析処方内容 701
 透析性 51
 透析導入 255, 1287
 透析不足 693
 透析見合わせ 1179, 1207, 1417
 透析用水 359, 375, 381, 389
 —作製装置 351, 359
 透析ライフ 1215
 透析離脱 7
 透析量 713
 糖尿病 872
 —神経障害 877
 —性腎症 261, 877
 —網膜症 877
 動脈塞栓術 661
 土石流・土砂災害 1477
 独居 1301
 突然死 7

な

ナトリウム 1279
 低——血症 1155
 内因性オピオイド 829
 内服アドヒアランス 479
 内シャント
 —狭窄 689
 —閉塞 689

に

ニコチン依存 764
 二次性血栓性微小血管障害 317
 二次性副甲状腺機能亢進症 846
 日常生活活動度 1579
 日常生活動作 193
 日本災害時透析医療協働支援チーム
 (JHAT) 1487
 乳頭状腎癌 1266
 尿細管間質性腎炎 111
 尿酸 1555
 尿路感染症 427, 1149
 認知機能 459, 517
 —障害 507, 791, 1409
 認知症 795, 800, 951, 1187,
 1311, 1345, 1443
 —予防 975
 —予防教室 451
 レビー小体型—— 800
 認知力維持 511

の

ノロウイルス 573
 脳血管障害 791
 脳卒中 151
 脳浮腫管理 787
 囊胞感染 1047

は

パーキンソン病 800
 バイオフィーム 389, 407
 ハザードマップ 1507
 バスキュラーアクセス
 —感染 573
 —トラブル 689
 バンコマイシン耐性腸球菌 637
 排液培養 1565
 肺炎
 医療・介護関連—— 595
 院内——／介護関連—— 901
 クレブシエラ—— 327
 誤嚥性—— 901
 予後不良——患者 595
 肺炎球菌 1435
 —ワクチン 901
 ペニシリン耐性—— 637
 敗血症 619, 901
 —性ショック 327
 廃用症候群 169, 193
 破壊性脊椎関節症 863
 発達課題 1085

ひ

ビスホスホネート 491, 854
 ビタミン類 471
 ヒトパピローマウイルス 905
 非 ST 上昇型心筋梗塞 747
 微小動脈瘤 661
 非心臓性循環不全 742
 悲嘆 1251
 避難勧告 1507
 避難指示 1507
 被囊性腹膜硬化症 (EPS) 724,
 728
 皮膚灌流圧 (SPP) 759
 標準予防策 561, 611, 928
 微粒子除去フィルタ 401
 頻回透析 944
 貧血
 腎性—— 833, 838
 溶血性—— 317

ふ

フットケア 175
 プラークコントロール 770
 プラミペキソール 821
 フレイル 471, 889, 1579
 腹腔鏡下手術 1529
 副甲状腺摘出術 846, 1597
 副甲状腺ホルモン 846
 副腎皮質ステロイド薬 1091
 腹直筋血腫 661

腹膜炎 117, 709, 724, 1555
 無菌性—— 1565
 腹膜透過性 728
 腹膜透析→「peritoneal dialysis ;
 PD」を見よ
 服薬困難 1060
 不整脈 755
 —の非薬物療法 755
 不定愁訴 693
 不眠症 813
 分子標的治療薬 228

へ

ペニシリン耐性肺炎球菌 637
 平成 30 年 7 月豪雨 1477
 便秘 779, 868

ほ

ポリスチレンスルホン酸カルシウム
 779
 ポリファーマシー 897
 防災担当者 1483
 放射線治療 43
 法の欠缺 1179
 訪問看護 1451

ま

マーケティング 441
 膜分離 359
 末期がん 914
 末期腎不全 909, 1111, 1149
 末梢神経障害 818
 末梢動脈疾患 573, 1435
 慢性腎臓病→「chronic kidney
 disease ; CKD」を見よ
 慢性腎不全 327
 慢性頭痛 111
 慢性疼痛 273

み・む

看取り 1231
 無菌性腹膜炎 1565
 無菌性保証レベル (SAL) 4 407
 むずむず脚症候群 813, 821

め・も

メチシリン耐性黄色ブドウ球菌
 637
 免疫抑制薬 295
 物忘れ相談プログラム 451
 門脈ガス血症 422

や

薬物動態 51
 薬物有害事象 897
 薬物療法 1245
 病いの体験 255

ゆ

ユーザビリティ 1541
 有酸素運動 63, 485
 遊離カルニチン 324

よ

溶血性貧血 317
余暇（余暇活動） 967, 975
抑うつ 999

り

リーンスタートアップ 499
リツキシマブ 665
リハビリテーション 145, 203, 209
回復期——病棟 209
急性期—— 151
口腔—— 185

呼吸器—— 169, 764
心臓—— 161
腎臓—— 137, 985, 1007, 1425
リン 1279
——吸着薬 779, 842
高——血症 842
鉄含有——吸着薬 1165
療法選択 685, 1409
旅行者血栓症 1023
旅行者下痢症 1023
倫理委員会 1207

れ

レクリエーション 975

レジオネラ 631
レジスタンス運動 63, 485
レストレスレッグス症候群 813, 821
レスパイトケア 1573
レビー小体型認知症 800

ろ・わ

ロチゴチン 821
ワルファリン 787
笑い 507

欧 文

β_2 -ミクログロブリン 859, 863
——吸着カラム 863
γ インターフェロン遊離試験 645

A

activities of daily life 1579
activities of daily living ; ADL 193
acute kidney injury ; AKI → 「急性腎障害」を見よ
acute phase rehabilitation 151
adherence 1131
adolescence 1131
adolescent and young adult ; AYA 1077
advance care planning ; ACP 1199
advance directive ; AD 1187, 1207, 1215, 1417
aerobic exercise 63, 485
aging society 595
albumin 465, 619
altitude sickness 1023
angiodysplasia 783
ankle-brachial pressure index ; ABI 175
antibiotics 1535
aromatherapy 451
artificial hydration and nutrition 1239
aseptic peritonitis 1565
assisted PD 1541, 1565
augmentation 821
automated peritoneal dialysis ; APD 701
autonomous decision 1179
autonomy 993
autosomal dominant polycystic kidney disease ; ADPKD 1047

B

B 型肝炎 776
——ウイルス 655
——ワクチン 655
baby boomers 1391
balneology 1035

Barthel Index ; BI 951
bereavement 1251
biofilm 389, 407
biological contamination 367
bisphosphonate 491
bone metastasis 43

C

C 型肝炎 776
——ウイルス 655
cancer 71, 89
——diagnosis 27
——incidence 13
——mortality 13
——therapy 79
cardiac arrest 7
cardiac rehabilitation 161
cardiopulmonary resuscitation 1193
cardiovascular disease 295
care 241, 267, 1401
care manager 1345
care services 1345
catheter 619, 1535
central dialysis fluid delivery system ; CDDS 395
Certified Nurse Specialist ; CNS 249
chemical contaminants 351, 381
chemical substance 375
children 1091, 1111, 1119, 1125
Choosing Wisely 905
chronic kidney disease ; CKD 13, 137, 255, 459, 507, 854, 1007, 1085, 1091, 1097, 1137, 1149, 1425
pediatric —— 1097
chronic kidney disease-mineral and bone disorder ; CKD-MBD 850
chronic pain 273
cognitive abilities 517
cognitive function 459
cognitive impairment 507, 1409
community based medicine 1451, 1587

community-based integrated care systems 1391
community-care 1409
congenital anomalies of the kidney and urinary tract ; CAKUT 1119, 1149
connect device system 1541
consumer satisfaction ; CS 441
contact precautions 631
continuous ambulatory peritoneal dialysis ; CAPD 701
corticosteroid 1091
coupler 401
critical limb ischemia ; CLI 175
cure 241, 267
customer journey 441
customer lifetime value ; CLV 441

D

decision support 1467
delirium 99
dementia 1187, 1311, 1345, 1443
——prevention 975
——prevention class 451
dendritic cells 567
denosumab 491
depressive symptoms 999
decision making support 283
developmental task 1085
diabetic nephropathy 261
dialysability 51
dialysis 13, 43, 151, 465, 507, 655, 1359
——initiation 255, 1287
——life 1215
——nursing 511
——patient 37, 71, 283, 511, 645
——water 359, 375, 381, 389
dialysis apparatus safety management committee 413
dialysis fluid
——distribution system 395
——purification 367, 389

pure — 401
dialysis medical expenses 1401
dialysis related amyloidosis 273
dialysis related infection 579
dietary counseling 1327
dietary cure 1311
dietary protein 471, 1579
dietetic therapy 1319
direct-acting antivirals ; DAA 655, 776
disaster planning 1587
disuse syndrome 169, 193
dressing film 1535
drug therapy 1245

E

early mobilization/ambulation 151
eating alone 471
eating out 1319
effluent culture 1565
elderly 1187, 1311, 1565
— aged 75 years or older 1391
elderly dialysis patient 203, 1231, 1293
elderly PD patient 1221
elderly society 1521
electrical conductivity 381
emergency medicine 1193
end of life 215, 1207, 1417
— care 89, 283, 1199, 1231
endotoxin 389
— retentive filter 401
end-stage kidney disease 1149
end-stage renal disease 1111
energy 1279
enteral feeding 63
eosinophil 1555
ethics committee 1207
exercise
— prescription 499
— therapy 137, 169, 1425
— training 161
light-intensity — 999
resistance — 63, 485
exit site care 1535
experience of illness 255

F

family care 1251
flow line 587
follow-up 1335
foot care 175
fracture 491
— prevention 145
frailty 471, 1579

G

gap in the law 1179
gastroesophageal reflux disease ; GERD 767
gender difference 993
glucose degradation products ;

GDPs 1547
graft survival 1131
grief 1251
— care 1251
growth hormone therapy 1091
growth impairment 1091

H

hand hygiene 561
Healthcare Insurance System 1359
healthcare-associated infection 553
healthy life expectancy 993
heart failure 7
Helicobacter fennelliae 1056
hemodialysis ; HD 89, 121, 137, 169, 223, 273, 422, 427, 587, 605, 619, 661, 783, 804, 829, 868, 999, 1007, 1015, 1056, 1125, 1165, 1187, 1245, 1319, 1425
— 患者 755
hip fracture 145
holistic medicine 517
home based medical care 1221
home care 1231
home-delivered meals 1353
home dialysis 1521
home doctor network 215
home healthcare 1451
home hemodialysis ; HHD → 「在宅血液透析」を見よ
home nursing 1451
hot spring 1035
human immunodeficiency virus ; HIV 605, 932

I

icodextrin 1547, 1555
imaging studies 27
immunosuppressant 295
independent support 193
infection 7
— control 579, 587, 605
— of vascular access 573
— route 587
nosocomial — 611
inflammation 465
influenza 573, 611, 1435
intensive care 1193
interferon 655
— gamma release assay 645
intermittent claudication 175

J・K

jet-lag syndrome 1023
Kidney Disease Improving Global Outcomes ; KDIGO 1143
kidney transplantation 1131

L

laparoscopic surgery 1529
latent tuberculosis infection 645

laughter 507
lean startup 499
Legionella 631
leisure 967
— activity 975, 985
light-intensity exercise 999
living alone 1301
living at home 1345
living environment 1287
Long-Term Care Insurance System 1359

M

malignant disease 37
malignant tumor 21
malnutrition 203
medical summary 1103
medication adherence 479
membrane separation 359
mental care 985
mental disorder 99
methicillin-resistant *Staphylococcus aureus* ; MRSA 637
mild cognitive impairment ; MCI 451, 884, 1443
multidrug-resistant *Acinetobacter* 631
multidrug-resistant *Pseudomonas aeruginosa* 631
music therapy 1015
myofascial pain 273

N

neonate 1137
neoplasms 1245
non occlusive mesenteric ischemia ; NOMI 422
norovirus 573
nosocomial infection 611
nursing and healthcare associated pneumonia ; NHCAP 595
nursing practice 267
nutrition administration 1359
nutrition instruction 1287
nutritional assessment 465
nutritional care 203
nutritional requirements 479
nutritional support 1239
nutritional therapy 1097

O

Onco-Nephrology 51
opioid 1245
oral care 185, 471, 1435
oral rehabilitation 185

P

palliative care 89, 1245
— program 1193
parathyroid hormone ; PTH 1597
patient-centered medicine 517
patient education 169

pediatric CKD 1097
 pediatric kidney disease 1327
 penicillin-resistant *Streptococcus pneumoniae* ; PRSP 637
 peracetic acid preparation 407
 percutaneous endoscopic gastrostomy 1239
 peripheral artery disease ; PAD 573, 1435
 peritoneal dialysis ; PD 117, 705, 713, 717, 1119, 1221, 1287, 1301, 1311, 1327, 1451
 — カテーテル 1529
 — 治療パターン 1547
 — 導入 701
 — ファースト 1521, 1573
 — ラスト 1521, 1573
 — +HD 併用療法 713, 720
 assisted — 1541, 1565
 automated — 701
 peritoneal wall anchor technique ; PWAT 1529
 peritonitis 1555
 personal protective equipment 561
 pharmacokinetics 51
 phosphorus 1279
 physical activity 967, 999
 physical function 459
 prehospital emergency care 1193
 protein 1279
 protein energy wasting ; PEW 465, 889
 pseudo-transplant renal artery stenosis ; TRAS 311
 psychological care 89
 psychosocial health 1085
 pulmonary rehabilitation 169
 pure dialysis fluid/pure dialysate 401

Q

quality of life ; QOL 941, 967, 985, 1573

R

radiotherapy 43
 recreation 975
 regional comprehensive care network 215

rehabilitation 145, 203, 209
 renal rehabilitation 137, 985, 1007, 1425
 renal replacement therapy ; RRT 1111, 1143, 1529
 resistance exercise 63, 485
 resistant bacteria 553
 respite care 1573

S

sampling port 401
 sanitation 567
 sarcopenia 203, 485, 1579
 situation, background, assessment, recommendation ; SBAR 1587
 sedentary behaviour 999
 selective estrogen receptor modulator ; SERM 491
 self-care 289
 self-esteem 1085
 self management 261
 self-sustaining 289
 semicritical 407
 sepsis 619
Serratia 631
 shared decision-making 1187
 social benefits 1035
 sodium 1279
 Spaulding の分類 407
 special nutritional supplement 479
 sports 1007
 standard precaution 561, 611
Staphylococcus aureus 567
 stepwise initiation of peritoneal dialysis using Moncrief and Popovich technique ; SMAP 1529
 sterility assurance level ; SAL 4 407
Streptococcus pneumoniae 1435
 stroke 151
 surgery 37
 systemic inflammation 63

T

team approach 193
 teriparatide 491
 terminal care 71, 1409
 terminal stage 595
 therapy selection 1409

total residual choline 381
 touch panel type dementia assessment scale ; TDAS 451
 transition 1077, 1119, 1125, 1131, 1149
 — program 289, 1103, 1077
 transitional care 1103
 transmission-based precaution 561
 transplant renal artery stenosis ; TRAS 311
 traveler's diarrhea 1023
 traveler's thrombosis 1023
 tuberculosis 573, 645
 tumor markers 27

U

ultrasonography 1587
 uric acid 1555
 urinary tract infection 1149
 usability 1541

V

vancomycin-resistant *enterococci* ; VRE 637
 vascular access by means of internal jugular vein puncture with ultrasonography 1587
 vitamins 471
 water-soluble — 1279

W

water quality inspection 367
 water quality standard for biological contaminants in dialysis water 359
 water quality
 — standard for chemical contaminants in dialysis water 359
 — standard of dialysis fluids 351, 375
 water-soluble vitamins 1279
 water treatment equipment 351, 359
 welfare setting 975
 withholding/withdrawal of dialysis 7, 1207, 1417