

臨床透析 ●Key word 索引

第 39 卷

Vol.39 No.1~No.13

(2023 年 1 月号~12 月号)

和 文

1 型糖尿病 91
4 日間の猶予期間 749
4Ts スコア 687

あ

アクセプタンス&コミットメントセラピー 1193
アシスト PD 657, 929
アスピリン 1009
アドバンス・ケア・プランニング (ACP) 595, 606, 1183, 1189, 1299
アミノ酸 1118, 1385, 1439
アルブミン 479, 547, 1385
——漏出 491
——漏出量 513
低—— 1427
亜鉛欠乏 1451
悪性リンパ腫 453
新しい透析の考え方 1091
安全管理 519, 1543
安全対策 1124

い

インクリメンタル HD 193
インクリメンタル PD 193, 937
インシデント 1501
——報告 1487
インスリン 31
インスリン抵抗性 369
インターフェロン γ 遊離試験 866
インフルエンザ 784, 791, 1521
意思決定プロセス 610
一酸化窒素 (NO) 94
遺伝子組み換え帯状疱疹ワクチン 908
医療安全 1475, 1481, 1501
——性 1562
——文化 1487
医療安全管理委員会 1487
医療関連感染症 712
医療機器安全管理 1513
医療職者 253
医療の質 1487
医療費削減 1035

医療保険制度 993
医療倫理の 4 原則 (自律, 善行, 無危害, 公正) 624
院内感染 816
院内肺炎 895
陰嚢水腫 1349

う

ウイルス肝炎
——の有病率 829
——排除 (elimination) 829
ウォーキング 71
右室型単心室症 233
うつ滞性皮膚炎 1017
運動 359
運動療法 987

え

エネルギー 1415
——摂取不足 1001
——摂取量 1427
——代謝 363
——と栄養素の摂取不足 1118
エラブルーフ化 1547
エリスロポエチン 98
エンド・オブ・ライフ (EOL) 1299
エンドオブライフケア 663, 1183
エンドレスケア 277
栄養 1421
——アセスメント 405
——管理 83
——機能食品 1451
——サポートチーム 83
——指導 1001
——障害 170
——状態 1391
——スクリーニング 393
——不良 405
十分な—— 1111
笑顔 1329
遠隔患者モニタリング 947
炎症性サイトカイン 369
炎症反応 1243
塩分制限 441

塩分摂取 1409

お

オーバーナイト透析 1097, 1111, 1124
オンコール 285
オンライン HDF 471, 485, 506, 519, 532
オンライン補充液 499
黄色ブドウ球菌 1023
穏やかな死 639
思い込み 1552

か

ガイドライン 844
カテーテル
——合併症 777
——関連感染症 975
カリウム 379, 1447
カンファレンス 1285
介護保険制度 993
介助者 1073
——負担緩和対策 1059
限りなく HF に近い HDF 療法 491
核酸アナログ製剤 822
拡散強調画像 1461
学術活動 265
各職種の専門性 1273
隔離予防策 712
下肢閉塞性動脈疾患 1353
下肢末梢動脈疾患 (PAD) 678
家族による情緒のサポート 1059
価値 1193
活性化好中球 112
合併症 1509
家庭内感染 756
肝炎ウイルス対策 829
看看連携 1279
環境消毒 725
環境整備 1066
関係依存的自律 1183
間歇補充型 HDF 506
看護
——計画 1293
——成果 639

—提供方式 1255, 1259
 —の原点 1267
 人間対人間の— 1533
 肝細胞癌 822, 838
 患者
 —, 家族の生活背景 1273
 —とのトラブル 265
 —にとって価値のあるアウトカ
 ム 524
 患者安全 1493
 患者教育 1305
 患者参加型医療 147
 患者中心アウトカム 1171
 患者中心の医療 937, 981, 1035
 患者報告型アウトカム 1165
 感情を知る 309
 間接熱量計 363
 感染管理 777, 1481, 1521
 感染症 708
 感染性胃腸炎 873
 感染対策 322, 708, 1124
 感染の持ち込み 756
 感染防御 735
 感染予防 822, 838
 観点モデル 259
 冠動脈疾患 43
 緩和ケア 624, 639, 657, 663
 緩和腎臓病 929

き

キャリア開発ラダー 1285
 希釈モード 479
 技術教育 1066
 気づかい 1225
 希望 1177, 1199, 1219, 1225
 基本チェックリスト 431
 急性冠症候群 553
 急性腎障害 339
 急性尿細管間質性腎炎 106
 吸着式血液浄化器 57
 境界知能 1211
 共感 1225
 共同意思決定 (SDM) 147, 595,
 606, 981, 1189, 1299
 荚膜多糖体ワクチン 887
 業務形態 285
 共有意思決定 (SDM) 652, 941
 拒絶反応 325
 緊急対応 1066
 緊急透析導入と生命予後 154
 菌血症 881
 筋肉量 547
 —評価 417
 筋量減少 405
 筋力 411

く

グリア細胞 524
 グリコアルブミン (GA) 18

グリコヘモグロビン (HbA1c) 18
 クリニック 1481

け

経営の透明性 265
 継続栄養指導 1335
 継続期間 1005
 傾聴 1177
 頸動脈狭窄症 49
 経路別予防策 712
 下剤 1341, 1455
 血圧 441
 —低下 78
 血液浄化 735
 血液透析 49, 78, 207, 339, 453,
 881, 1023, 1323, 1353
 —患者 213
 —クリニック 1317
 —スタッフ 304
 —導入 201
 血液媒介感染症 816
 結核 866
 血管石灰化 571
 血管内治療 1353
 血漿 refilling 537
 血清リン濃度 1085
 血栓症 94, 673
 血栓内膜摘除術 1353
 減塩 1421
 健康関連ホープ尺度 1165
 原発性滲出リンパ腫 453

こ

コーチング 1285
 コネクテッドケア 947
 コンジュゲートワクチン 887
 コンパッション 316
 抗 HIV 薬筋注製剤 851
 降圧薬 447
 高カリウム血症 379
 抗凝固薬 49, 179
 抗菌薬適正使用 859
 口腔ケア 1243
 高血圧 94, 447
 高血液透析率 129
 抗血小板薬 1009
 抗酸化作用 524
 高信頼性組織理論 1475
 更正医療 669
 抗体価 799
 行動 259
 —活性化 1193
 行動医学 1157
 高齢 1543
 高齢化 129, 1335
 高齢患者 987
 高齢者 606, 1151, 1369
 高齢者総合機能評価 (CGA) 601
 高齢腎不全患者 587, 601, 610

高齢透析患者 532
 呼気ガス分析 363
 個室 1124
 個人情報漏洩事故 1557
 個人防護具 735, 743
 個別性 633
 コミュニケーションエラー 1562

さ

サイトカインストーム 808
 サルコペニア 71, 393, 423, 1377
 —の診断基準 423
 —の定義 423
 —・フレイル予防 1205
 サルコペニア肥満 423
 災害対策 1527
 在宅医療 652, 956
 在宅血液透析 1041, 1047, 1052,
 1073, 1079, 1305
 —の介助者 1041
 —の訓練 1041
 在宅透析推進 1035
 催不整脈性 331
 細胞性免疫 799
 左肩峰下滑液包炎 347
 三次元コンピュータ断層撮影法
 (3D-CT) 233
 残腎機能 193
 三大栄養素 439
 酸分泌抑制薬 1231

し

シャント 1171
 —感染 1134
 —ホール 491
 シロスタゾール 678
 歯科受診 1243
 子宮頸癌 903
 事故 519
 自己効力感 1157, 1219
 自己責任 1041
 自己穿刺 1052
 仕事 247
 歯周病 1243
 次世代育成支援対策推進法 (次世代
 法) 304
 施設オーバーナイト透析
 安全な— 1097
 持続グルコース測定 25
 自尊感情 1157
 市中肺炎 895
 疾患ライフの受容段階 1193
 自動腹膜灌流装置 1007
 死の不安 639
 市販後調査 1127
 集学的チーム (MDT) 624
 重症急性膵炎 112
 重症度分類 405
 自由食 1085, 1397

自由な飲食 1409
終末期医療 963
手指衛生 720
手指消毒 720
受診前の連絡 756
障害者医療費助成制度 669
障害年金 669
償還価格 551
情報提供 1329
静脈高血圧 1017
職員 247
食塩（ナトリウム） 1433
職業感染 743
食事 1447
——状況調査 1001
——制限の緩和 1085
——摂取 213
——摂取量の低下 359
食事療法 213, 379, 1118
——の目的 633
主体的な—— 1335
植物性たんぱく質 439
職場環境 1539
食文化 1409
職務満足度 289
除水速度 1409
女性活躍推進法 289
処方誤り 1552
処方変更 1552
自立支援医療（更正医療） 669
腎移植 1433
——後貧血 325
新型コロナウイルス感染症 784, 799, 1521
新規透析導入 207
腎機能 139
新規便秘症治療薬 1341, 1455
心血管疾患 375
人工血管 1023
人工呼吸器関連肺炎 895
人材不足 129
心身医学 1157
人生会議 →アドバンス・ケア・プランニング（ACP）を見よ
新生血管緑内障 65
人生の最終段階 1177
人生の質 1035
腎性貧血 98
心臓合併症 43
心臓突然死 331
腎臓専門医 154
——の早期受診 139
腎臓リハビリテーション 1219
身体機能 411, 987
——と生命予後 411
——の評価 411
身体障害者手帳 669
腎代替療法（RRT） 147, 595, 606, 1007

——選択 1293
——の選択支援 207
腎代替療法専門指導士 1007
身体的ケア 1329
身体のサイン 309
心電図 331
心不全 43
腎不全 91
——症候 139
心房細動 331, 1009
信頼関係 1329
心理的アプローチ 1199
心理的安全性 1481
心理的支援 207
心理的配慮 1273
心理的疲弊 277
診療報酬 941, 1079
——改定 289, 551

す

スタッフ
——患者関係 294
——教育 771, 993
ステロイド 808
ストレス 253, 299
——軽減 309
スピリチュアル 663
——ペイン 1177
随時血糖値 18
臍腎同時移植 91
臍臓移植 91
睡眠障害 1151
睡眠の質の確保 1111

せ

セルフケア 253, 309, 316
セロトニン受容体拮抗薬 678
セントラル透析液 227
生活
——の自己効力感 1225
——満足度 1171
——目標 543
生活史 259
精神的回復力尺度 1323
精神的攻撃 1539
生体消毒薬 725
生体適合性 157
生体電気インピーダンス分析（BIA） 417
生命予後 471
——短縮 646
赤血球造血刺激因子製剤（ESA） 98
前希釈オンライン HDF 547
潜在性結核 866
穿刺 285, 771
——吸引 347
洗浄・消毒・滅菌 725
全人的医療 1259

そ

送迎 1543
総合病院 1311
操作条件 485
装置選定 1066
装置点検 1066
創部感染 1568

た

ダイナペニア 423
タイムアウト 1493
タスクシフト 271
ダブルチェック 1557
体液過剰 170
体液貯留 441
体液量管理 1405
第5次医療法改正 1513
体重 1433
——減少 359
帯状疱疹生ワクチン 908
帯状疱疹ワクチン接種の推奨 908
大腸通過遅延型便秘 1341, 1455
大網巻絡 1237
多職種 13
——協働 652, 1273
——連携 929, 1205, 1211
多発性嚢胞腎 1461
食べる楽しみをサポート 633
多用途透析装置 506
短時間頻回血液透析（施設） 1405
たんぱく質 1439
——摂取 1409, 1415
——摂取不足 1001
——摂取量 1427
——代謝異常 369
蛋白節約効果 1391

ち

チーム育成 993
チーム医療 13
地域作り 993
地域連携 963, 993, 1279
遅発性腸管穿孔 684
中心静脈閉塞 559
注排液不良 1237
中分子量物質 479
腸管穿孔 684
長期透析患者 1317
長期留置型カテーテル 559
超高齢化社会 657
長時間血液透析 1391
長時間透析 1047, 1079, 1091, 1097, 1111, 1397
直接経口抗凝固薬（DOAC） 1009
直接作動型抗 HCV 薬 838
治療
——構造 294
——評価 543

治療の関係 1305

て

手洗い 720

低アルブミン 1427

低栄養 387, 547, 1369, 1397

——スクリーニング 405

低カリウム血症 379

低血液流量 1111

低血糖 18

低酸素誘導因子-プロリン水酸化酵素 (HIF-PH) 阻害薬 94, 98, 220, 325, 443, 571, 673, 1127

低分子ヘパリン 179

適正透析 981

出口部管理 975

鉄欠乏 673

電解質濃度 1103

転倒・転落 1493

と

トシリズマブ 808

ドライウエイト 170

トランスセオレティカルモデル 1205

透析 25, 31, 43, 411, 447, 720, 743, 784, 829, 1017, 1369, 1447, 1527

——医療事故 1487

——時運動療法 1337

——時静脈栄養 547

——条件 1547

——診療報酬 551

——耐容性 532

——中断 587

——導入 129

——による低血糖 37

——の見合わせ 595, 615, 646

——非導入 587

透析液

——安全管理 1513

——清浄化 499, 1513

——組成 1103

——Ca 濃度 227

——K 濃度 227

透析回路内血栓 687

透析看護 1255, 1259, 1311

透析患者 363, 423, 708, 791, 866

——の現況 7

——への带状疱疹ワクチン接種の推奨 908

透析間体重増加 441, 1118

透析関連低血圧 471

透析起因性高血糖 37

透析効率 157, 164, 166

透析剤 227

透析時間 1171

——の活用 1091

透析室看護師 1267

透析低血圧 537

透析用カテーテル 201, 777

透析療法 379

疼痛 1151

導入処方 166

糖尿病 25, 31, 43, 49

——合併症 83

糖尿病性腎症 7, 78

糖尿病性腎臓病 7

糖尿病透析患者 7, 13, 71, 83

糖尿病網膜症 65

動物性たんぱく質 439

動脈硬化 220

動脈表在化術 559

特質 259

特定疾病療養受領証 669

都道府県別算定割合 1079

な

ナトリウム 1433

ナファモスタットメシル酸塩 179

内シャント再作製 347

生ワクチン 749

に

二次的外傷性ストレス 294

二重エネルギー X 線吸収測定法 (DEXA) 417

日常生活 543

——活動度 359

日本版 CHS 基準 431

尿毒症物質 369

人間対人間の看護 1533

認知行動療法 1193

認知症 1533

ね

年次有給休暇の取得率向上 304

の

ノー残業デー 304

ノイラミニダーゼ阻害薬 791

ノロウイルス 873

脳卒中 49

脳内アシドーシス 187

囊胞感染 1461

は

バーンアウト 277, 299

バイパス術 1353

ハイリスク薬 1509

パスキュラーアクセス 154, 201, 881, 1052

——感染 771

ハラスメント 1539

バリシチニブ 808

バリデーション 499

バロキサビル・マルボキシル活性体

791

肺炎球菌 887

肺結核 895

敗血症性肺塞栓症 1134

白内障 65

働き方改革 259, 271

ひ

ピアサポート 1059

比較的徐脈 106

非結核性抗酸菌症 1568

避難訓練 1527

被嚢性腹膜硬化症 1005

標準感染予防策 756

標準予防策 712, 720, 743, 784

頻回透析 1047

貧血 571

ふ

ブースター 749

ファウリング 491, 537

フェリチン 673

ブドウ糖濃度 1103

プライマリー看護 1323

プライマリーケア 1329

プライマリー担当 1267

——の役割 1267

プライマリーナーシング 1259

プライマリーナース 1255, 1285,

1293, 1311, 1317

プライミングボリューム 164

フレイル 71, 431, 987, 1377, 1415

不安 1151

不活化ワクチン 749

不均衡症候群 166, 187

副甲状腺全摘術 458

複雑系適応型システム 1475

腹膜炎 975

腹膜透析 458, 684, 967, 1005, 1211, 1237, 1349, 1415, 1421, 1568

——ガイドライン 763

——カテーテル関連感染症 763

——関連腹膜炎 763

——処方 937

目標指向型の—— 981

部分置換 1023

へ

ヘパリン起因性血小板減少症 (HIT) 179, 687

ヘモダイアフィルタ 485, 551

併用注意 443

併用療法 1427

弁の石灰化 881

便排出障害 1341, 1455

便秘 1341, 1455

ほ
 ホープ 1165
 ホウ酸中毒 339
 ボタンホール穿刺 1052
 ボノブラザン 1231
 包括的栄養管理 1415
 包括の高度慢性下肢虚血 57
 暴言・暴力 1533
 法的責任 646
 訪問看護 967, 993
 訪問診療 929, 963, 967
 法律 1539
 保存的腎臓療法 (CKM) 587, 606, 610, 615, 639, 652, 663, 1189
 ま
 マインドフルネス 316
 膜材質 157
 膜面積 157, 164
 末期腎不全 233
 末梢神経障害 57
 慢性維持透析濾過加算 551
 慢性炎症性疾患 851
 慢性冠症候群 553
 慢性感染 822, 838
 慢性腎臓病 98, 1199
 み
 未分画ヘパリン 179

む
 無機リン 1443
 無酢酸透析液 227
 め
 メチシリン耐性黄色ブドウ球菌 859
 メンタルヘルス 247, 253, 271, 322
 メンタルモデル 1562
 免疫不全 887
 免疫抑制薬 1433
 も
 モチベーション 265
 モニタリング 513
 目標指向型の腹膜透析 981
 や
 薬剤管理 1509
 薬剤師 1509
 薬剤性腎障害 106
 薬剤耐性 859
 薬物治療 31
 よ
 溶質除去量 1405
 抑うつ 1151
 寄り添い 1225

ら
 ラインケア 299
 り
 リハビリテーション 1369
 リフレクション 1285
 リン 375, 1451
 — /たんばく質比 1443
 — 吸収率 375
 — 吸着薬 571
 — 添加物 1443
 理学療法プロセス 1337
 療法選択 1211
 臨床倫理コンサルテーション 646
 れ
 レジスタンストレーニング 71
 レジリエンス 1323
 — ・エンジニアリング 1547
 ろ
 労務管理 271
 わ
 ワークライフバランス 1111
 — 制度 304
 ワクチン 791, 799
 ワルファリン 1009

欧 文

A
 α_1 -ミクログロブリン 524
 academic activities 265
 acceptance and commitment therapy 1193
 accident 519
 act on advancement of measures to support raising next-generation children 304
 act on the promotion of female participation and career advancement in the workplace 289
 activities of daily life 359
 adequate dialysis 981
 adequate nutrition 1111
 ADL 低下 1543
 Adolescent Resilience Scale 1323
 advance care planning (ACP) 606, 615, 663, 956, 1183, 1189, 1279, 1299
 — の重要性 633
 advanced care planning 595, 663
 aged patients 1151

aging 129
 albumin 479, 547, 1385
 — leakage 491
 — leakage amount 513
 low — 1427
 amino acid 1118, 1385
 annual paid leave 304
 anticoagulant 49, 179
 antioxidative property 524
 anxiety 1151
 APD 1421
 ARNI 447
 assisted PD 657, 929, 947, 956
 AVF 1017

B
 B 型肝炎ウイルス → HBV を見よ
 BCAA 1439
 behavior 259
 behavioral activation 1193
 behavioral medicine 1157
 biocompatibility 157
 bioelectrical impedance analysis 417
 blood flow

low — 1111
 blood pressure drop 78
 body fluid volume management 1405
 body mass index (BMI) 399, 1085, 1118, 1397
 body weight 1433
 — loss 359
 brown tumor 458
 boundary of mental retardation 1211
 burnout 277, 299
 burnt-out diabetes 37
 business form 285
 C
 C 型肝炎ウイルス → HCV を見よ
 cardiac complications 43
 cardiovascular disease 375
 Cardiovascular Health Study (CHS) 431
 — 基準 431
 caregiver 1073
 caring 1225
 carotid artery stenosis 49

carrer development 1285
 casual plasma glucose level 18
 cataract 65
 catheter-related infection 975
 central dialysis fluid delivery system (CDDS) 1103
 central venous catheter 201
 cerebral acidosis 187
 CKD 220, 379, 1199
 clinical ethics consultation 646
 CLTI 57
 coaching 1285
 cognitive behavioral therapy 1193
 combined PD+HD 941
 comfortable death 639
 compassion 316, 1225
 comprehensive geriatric assessment (CGA) 601
 comprehensive nutritional management 1415
 conference 1285
 connected healthcare 947
 conservative kidney managemen (CKM) 587, 606, 610, 615, 639, 652, 663, 1189
 continuous glucose monitoring 25
 COVID-19 322, 756, 784
 current status of dialysis patients 7
 CVD 220

D

daily life 543
 death anxiety 639
 depression 1151
 diabetes 25, 31, 43, 49
 diabetes mellitus 78
 diabetic complication 83
 diabetic dialysis patient 7, 13, 71, 83
 diabetic kidney disease 7
 diabetic nephropathy 7
 diabetic retinopathy 65
 dialysate composition 1103
 dialysis 25, 31, 43, 379, 411, 1369
 efficiency of — 166
 introduction of — 129
 dialysis disequilibrium syndrome (DDS) 187
 dialysis efficiency 157
 — fluid purification 499
 — nursing 1255, 1311
 — related hypotension 471
 — tolerance 532
 — treatment time 1171
 — withdrawal 646
 new approach to — 1091
 dialysis patient 363, 423
 dialysis room nurses 1267

diet 379
 free — 1085, 1409
 liberalized— 1397
 diet therapy 213, 1118
 dietary intake 213
 dilution mode 479
 dimensions 259
 disorder of protein metabolism 369
 dry weight (DW) 170
 dual-energy X-ray absorptiometry 417
 dynapenia 423

E

early referral 139
 education for patients 1305
 eGFR 154
 elderly 606, 1369
 elderly dialysis patients 532
 elderly end stage kidney disease patient 587
 elderly patients 987
 — with kidney dysfunction 601
 electrolyte concentration 1103
 elimination 829
 emergency response 1066
 emotional awareness 309
 emotional support from family members 1059
 emphathizing 1225
 end of life (EOL) 1177, 1299
 endless care 277
 end-of-life care 663, 1183
 endotoxin retentive filter (ETRF) 506
 energy 1415
 — and nutrients 1118
 — intake 1427
 — metabolism 363
 ensuring sleep quality 1111
 environmental maintenance 1066
 equipment inspection 1066
 equipment selection 1066
 ETRF 506
 evaluation of treatment 543
 evidence based medicine (EBM) 147
 exercise 359
 exercise therapy 987
 exit-site care 975
 extended-hours hemodialysis 1391, 1397

F

FAX 誤送信 1557
 fluid overload 170
 Fontan 術 233
 food culture 1409
 forgo of dialysis 595

fouling 491, 537
 fraility 1415
 frailty 71, 431, 987, 1377
 Frailty Index 431
 free diet 1085, 1409
 frequent HD 1047

G

general hospital 1311
 glial cell 524
 glucose concentration 1103
 glycated albumin (GA) 18
 glycated hemoglobin (HbA1c) 18
 goal-directed peritoneal dialysis 981
 GRACE 316, 316

H

handicapped person's notebook 669
 HB ワクチン 829
 HbA1c 18
 HBV 816, 822, 1521
 HCV 816, 838, 1521
 HDF 479
 — therapy as close to HF as possible 491
 health care cost reduction 1035
 healthcare professionals 253
 health-related hope scale 1165
 heart failure 43
Helicobacter pylori 除菌治療 1231
 hemodiafilter 485
 hemodialysis 49, 78, 207, 563, 1323
 — clinic 1317
 — initiation 201
 — patients 213
 — staff 304
 hemodialysis products (HDP) 1047
 hemodialysis-induced hyperglycemia 37
 heparin-induced thrombocytopenia 179
 HIF-PH 阻害薬 94, 98, 220, 325, 443, 571, 673, 1127
 — の禁忌 443
 — の副作用 1127
 high hemodialysis rate 129
 HIT 抗体 687
 HIV 844
 — 患者の高齢化 851
 — 感染透析患者の受け入れ 844
 home dialysis 956
 home hemodialysis (HHD) 1041, 1047, 1052, 1073, 1079, 1305
 — assistant 1041
 — training 1041

—導入時看護アセスメント 1059

home medical care 652, 963

home nursing care 967

home visit nursing 993

home-visit medical care 929, 967

hope 1165, 1177, 1199, 1219, 1225

HPV 903

—関連腫瘍 903

—ワクチン 903

HR-Hope 1165

hypoglycemia 18

I

IDEAL スタディ 139

IgA 腎症 106

immunosuppressive drug 1433

improving acquisition of annual paid leave 304

inadequate intake of energy and nutrients 1118

in-center long nocturnal hemodialysis 1111

in-center short daily hemodialysis 1405

incremental HD 166, 193

incremental PD 193, 937

independence support medical care 669

indirect calorimetry 363

individuality 633

inflammatory cytokine 369

insulin 31

insulin resistance 369

interdialysis weight gain 1118

intermittent infusion

hemodiafiltration (I-HDF) 506

interprofessional work 1205, 1273

intradialytic hypotension 537

intradialytic parenteral nutrition 547

introduction of dialysis 129

introduction of HHD

nursing assessment at the — 1059

IoT (internet of things) 947

ISPD ガイドライン 763

ISRR 903

IVR 1017

J

Japan 1079

Japanese version of the CHS (J-CMS) criteria 431

job satisfaction 289

job stress 253

K

kidney function 139

kidney transplantation 1433

Kihon Checklist 431

L

labor management 271

ladder of career development 1285

legal liability 646

liberalized-diet 1397

life satisfaction 1171

life stories 259

life targets 543

line care 299

listening 1177

long hemodialysis 1047, 1097

— therapy 1091

long-time hemodialysis 1079, 1111

long-term care insurance system 993

long-term dialysis patients 1317

low albumin 1427

low blood flow 1111

low molecular heparin 179

low-density lipoprotein/fibrinogen apheresis method 57

M

maintenance hemodialysis 166

malnutrition 170, 387, 405, 547, 1369, 1397

— screening 405

management transparency 265

MDT 624

measures to ease the burden on caregivers 1059

medical fee 941, 1079

medication 31

membrane area 157

membrane material 157

mental health 247, 253, 271

MIA 症候群 1243

middle molecules 479

mindfulness 316

MIS 387

monitoring 513

mortality 379, 471

motivation 265

MRI 1461

multidisciplinary collaboration 652

multi-disciplinary team (MDT) 624

multi-occupation 13

multi-professional cooperation 929

muscle mass 405

— assessment 417

muscle strength 411

muscle volume 547

Mycobacterium abscessus 1568

N

nafamostat mesylate 179

narrative approach 1199

neovascular glaucoma 65

nephrology nurse 1259

new approach to dialysis 1091

new patient education 207

no overtime day 304

nocturnal hemodialysis 1097

nursing assessment at the introduction of HHD 1059

nursing cooperation 1279

nursing delivery method 1255

nursing diagnoses 639

nursing education 993

nursing planning 1293

nutrition 1421

— management 83

— screening 393

Nutrition Support Team (NST) 83

nutritional assessment 405

nutritional risk index for Japanese hemodialysis patients (NRI-JH) 399, 1377

nutritional status 1391

O

old patients with renal failure 610

on call 285

on-line HDF 471, 485, 506, 519, 532

online prepared substitution fluid 499

operating conditions 485

origin of nursing 1267

P

P2Y₁₂ 受容体拮抗薬 553

pain 1151

palliative care 624, 639, 657, 663

palliative nephrology 929

pancytopenia 563

patient and family life background 1273

patient education 207

patient engagement 147

patient-centered care 937, 981

patient-centered medicine 1035

patient-related outcome 1171

patient-reported outcome 1165

patient-staff disputes 265

PD+HD 併用療法 941, 1427

peer support 1059

PEL 453

pension for persons with disabilities 669

PEP 844

peripheral nerve disorder 57
 peritoneal dialysis 967, 1211, 1415, 1421
 peritoneal prescription 937
 peritonitis 975
 person with a disability medical expense subsidy system 669
 perspective model 259
 PGI₂ 誘導体 678
 phosphate 375
 — absorption rate 375
 physical care 1329
 physical function 411, 987
 — assessment 411
 — mortality 411
 physical signs 309
 plasma refilling 537
 PMMA 1385
 PMX-DHP 112
 poor dietary intake 359
 potassium 379
 pre-dilution online hemodiafiltration 547
 prescription of hemodialysis initiation 166
 prevention of sarcopenia and frailty 1205
 primary care 1329
 primary charge 1267
 primary nurse 1255, 1285, 1293, 1311, 1317
 primary nursing 1323
 — model 1259
 principles of medical ethics 624
 PRO 524
 process of shared decision making 610
 promoting home dialysis 1035
 protein intake 1409, 1415, 1427
 protein-energy wasting (PEW) 359, 393, 399, 1369, 1377
 protein-sparing effect 1391
 provision of information 1329
 psychological acceptance stage of life 1193
 psychological consideration 1273
 psychological exhaustion 277
 psychological support 207
 psychonephrology 1211
 psychosocial approach 1199
 psychosomatic medicine 1157
 PTH 458
 puncture 285
 purpose of dietary treatment 633

Q

quality of life (QOL) 601, 1035,

1073, 1335, 1391

R

reduced muscle mass 405
 reflection 1285
 regional collaboration 993
 regional cooperation 963, 1279
 regional development 993
 rehabilitation 1369
 — medical care 669
 relational autonomy 1183
 relaxation of restrictions 1085
 remote patient management 947
 removal amount of solute 1405
 renal rehabilitation 1219
 renal replacement therapy 147, 595, 606
 — choice support 207
 — selection 1293
 residual kidney function 193
 resilience 1323
 resistance training 71
 respect for autonomy, beneficence, non-maleficence, social justice 624
 reverse urea effect 187
 revision of medical service fees 289
 role 1267

S

safety 1097
 Safety- I 1501
 Safety-II 1475, 1501
 safety management 519
 salt (sodium) 1433
 — intake 1409
 — reduction 1421
 sarcopenia 71, 393, 423, 1377
 — definition 423
 — diagnostic criteria 423
 sarcopenic obesity 423
 secondary traumatic stress 294
 self-care 253, 309, 316
 self-efficacy 1157, 1219
 — in life 1225
 self-esteem 1157
 self-responsibility 1041
 serum phosphorus concentration 1085
 severity classification 405
 SGA 387
 shared decision making (SDM) 147, 595, 606, 652, 941, 956, 981, 1189, 1211, 1299
 shortage of human resources 129
 shortening the life expectancy 646
 shunt hole 491

SIRS 112
 sleep disorder 1151
 sleep quality 1111
 smiling face 1329
 specialty of each occupation 1273
 specific disease medical treatment receipt 669
 spiritual 663
 spiritual pain 1177
 staff 247
 — patient relations 294
 stress 299
 — reduction 309
 stroke 49
 super ageing society 657
 support the enjoyment of eating 633

T

task shift 271
 team development 993
 team medicine 13
 technical training 1066
 terminal care 963
 therapeutic relationship 1305
 therapeutic structure 294
 TMP 513
 transtheoretical model 1205
 trust relationships 1329
 TSAT 673

U

U=U 844
 ultrafiltration rate 1409
 unfractionated heparin 179
 uremic symptoms 139
 uremic toxin 369
 utilization of dialysis time 1091

V

validation 499
 value 1193
 vascular access 201, 1052, 1171
 ventilatory gas analysis 363
 versatile dialysis machine 506

W

walking 71
 whole-person care 1259
 withdrawing dialysis 587
 withholding dialysis 587, 615
 work 247
 work-life balance 1111
 — system 304
 work style reform 259, 271