

ENDOSCOPIA DIGESTIVA

Volume 36, Number 8, August 2024

CONTENTS

Special Issue

Learning from Cases in Pharyngoesophageal ESD

Introductory remarks	<i>Yoshio Hoshihara</i> 1100
Evolution and current situation of transoral endoscopic surgery for pharyngeal cancer	<i>Ichiro Tateya et al.</i> 1102
Determination of indications for endoscopic treatment and pretreatment risk assessment in superficial esophageal cancer	<i>Shigetaka Yoshinaga et al.</i> 1109
Histology of the oral cavity, laryngopharynx and pathological characteristics of superficial pharyngeal carcinoma	<i>Tetsuo Nemoto</i> 1114
Pathological diagnosis of superficial esophageal squamous cell carcinoma in ESD specimens: caveats and problems	<i>Hiroshi Kawachi</i> 1120
Pathological diagnosis of superficial Barrett adenocarcinoma by biopsy and ESD specimens	<i>Fumiyoshi Fujishima et al.</i> 1127
I. ESD/ELPS for superficial pharyngeal cancer	
What should we do when an appropriate dissection plane cannot be determined in ESD/ELPS for hypopharyngeal cancer?	<i>Fumisato Sasaki</i> 1132
How should we manage stricture after extensive ESD/ELPS for hypopharyngeal cancer?	<i>Rieko Nakamura et al.</i> 1140
What should we do when a hypopharyngeal cancer extends to the larynx?	<i>Kenro Kawada et al.</i> 1145
How should we manage laryngeal edema and dysphagia after ESD/ELPS for pharyngeal cancer?	<i>Yuichi Shimizu et al.</i> 1151
What should we do when the pathology revealed subepithelial and/or vessel invasion after ESD/ELPS for pharyngeal cancer?	<i>Toshiro Iizuka et al.</i> 1157
II. ESD for superficial esophageal squamous cell carcinoma	
How to delineate the extent of esophageal squamous cell carcinoma in patients with multiple lugol-voiding lesions	<i>Daiki Kitagawa et al.</i> 1164
How should we perform ESD when the lesion is being submerged on the left side of the esophageal wall?	<i>Hirona Konishi et al.</i> 1170

Which is better for cEP/LPM circumferential esophageal squamous cell carcinoma, one-stage ESD or stepwise ESD?	<i>Akiko Takahashi et al.</i> 1175
What if perforation (or major injury to the proper muscle layer) is encountered during ESD?	<i>Daisuke Kikuchi et al.</i> 1179
What if swollen lymph nodes are found during the surveillance after ESD for pT1a-MM or pT1b esophageal squamous cell carcinoma?	<i>Miwako Arima et al.</i> 1185
III. ESD for superficial adenocarcinoma arising from short and long segment Barrett esophagus (SSBE or LSBE)	
ESD for adenocarcinoma arising from SSBE;	
What if the esophageal hiatus does not open and the lesion cannot be identified when sedated?	<i>Ippei Tanaka et al.</i> 1192
ESD for adenocarcinoma arising from LSBE;	
How to determine the lateral extent?	<i>Manabu Takeuchi et al.</i> 1198
ESD for adenocarcinoma arising from LSBE;	
What if stricture develops after a total circumferential ESD?	<i>Yugo Iwaya et al.</i> 1210
What should we do when the pathology revealed submucosal invasion $\geq 500 \mu\text{m}$ and/or vessel invasion after ESD?	<i>Koyo Kido et al.</i> 1216
Series Efficient Use of Big Data and Information and Communications Technology (ICT) in Endoscopy	
Efforts and achievements of ICT infrastructure establishment for the development and implementation of an AI prototype to interface with an integrated endoscopy database around endoscopy practice	<i>Kiyohito Tanaka</i> 1222

TOKYO IGAKUSHA Ltd. 40-5 Kanda Jimbocho 2-chome, Chiyoda-ku, Tokyo 101-0051 Japan